

## 28.15. Wastage Prediction due to expiry when ordering

### The problem

Prior to mSupply v7.12, when ordering or reporting on suggested ordering, you could simply tell mSupply to ignore stock that was going to expiry in three or four months time. mSupply would then lower it's stock level and order according to usages.

So previously if you asked mSupply to ignore stock that is likely to expire within the next six months while ordering or reporting, then mSupply would simply reduce the Stock on hand of the items by taking out the six months expiring stock as un-usable and then created a order based on the reduce stock. This is highly inaccurate as mSupply just removes the six months expiring stock instead of trying to workout if the stock can be dispensed in a timely manner.

Due to popular demand with mSupply v7.12 we have tried to do a better job of predicting stock wastage due to expiry. Using the consumption data that we have, we have travelled into the future and worked out the likely wastage stock. This page describes the workflow.

### Suggested Order reports

Lets look at a report in mSupply v7.12 or later.

From mSupply activate the menu :

- Report > Purchasing > Suggested Order quantities...

**Report options**

Suggested ordering [Excel] report 3 Create a report to support ordering decisions. Customise the report by item name or code, or the number of days of stock cover required.

Include items whose...

Item code 3 starts with 3 3  
(Leave this field blank to include all items)

and 3 Category 1 3 is 3

and 3 VEN Category Don't Care 3

and 3 Department is Don't Care 3

and 3 is on Master List Don't Care 3

No. of items with these criteria: 0

Unit Price

☐ Last price paid

☐ Average price

☐ According to supplier quote 3

Builds...

☐ Include planned builds

Make sure planned builds will be covered 1 times

Only include items whose stock cover (in months) is less than 0

Base analysis on 6 Months of usage data

Months stock required 3 Calculate

Expected delivery 15/02/2024

☒ Include usage for build ingredients

☐ Include items with suggested zero order quantity

☐ Exclude transfers from usage calculations

☐ Exclude Ad hoc and non stock items

☒ Exclude items if "never order" is checked

☒ Exclude stock that will expire within 3 months of projected consumption date

Complex Find ☒ Open report in Excel Cancel OK

The Suggested ordering report now has a new/updated expiry filter checkbox : *Exclude stock that will*

### *expire within 3 months of projected consumption date*

This checkbox accurately takes into account the likelihood of current stock expiring in the future based on the monthly calculated consumption for an item while determining the suggested order quantities. Previously you could tell mSupply to ignore stock that was close to expiry by say 3 or 6 months when calculating quantities, however this is approximate.

With mSupply version v7.12, mSupply has the option to accurately analyse the stock quantities that can't be distributed due the consumption rate and the expiry date of the stock. This results in a more accurate estimate of the suggested order quantities.

### **The workflow :**

Imagine we have the following batches for an item.

Item	Batch	Stock	Expiry
Amoxycillin/ Clavulanic acid 30mg	b12-2023	500	12/2023
Amoxycillin/ Clavulanic acid 30mg	b06-2024	550	06/2024
Amoxycillin/ Clavulanic acid 30mg	b06-2025	100	06/2025

- Imagine the current date is 1/1/2024
- Imagine the AMC is 50
- Imagine you need stock for 12 months.
- When running the report this is checked : **Exclude stock that will expire within 3 months of projected consumption date**

When the above report is run, mSupply will immediately ignore the batch `b12-2023` as it has already expired as the current date is `1/1/2024`.

For batch `b06-2024` : mSupply works out that you can only dispense this batch till the end of March 2024, due to the set 3 months cut-off date for expiry. So the months that this stock can be dispensed are :

- January 2024
- February 2024
- March 2024

So the stock that can be used from batch `b06-2024` is :  $3 * 50 = 150$ . ( In the reports that you will see in the future, this is known as **effective stock**) So the wasted quantity for batch `b06-2024` is :  $550 - 150 = 300$  (This is expiring stock, 300 will need to be thrown away. In the reports that you will see in the future, this is shown as **Expiring stock** )

For batch `b06-2025` : So from April 2024, mSupply will need to start using this batch for distribution. So this is 9 months remaining from April 2024 - to December 2024. However with a stock of just `100` this item will be used up during the following two months :

- April 2024
- May 2024

So for batch `b06-2025` all the stock will be used up and they will be no wastage.

However we now have 7 months starting from June 2024 till the end of December 2024 where we



New order

Order for all suppliers

Every item will be evaluated to see if it has enough stock.  
Warning- this can take a few minutes with a big data file.

☐ Separate order for each supplier

Other info....

Months stock required4Calculate

Use the last6 months usage to calculate average usage

Comment

Requested delivery date15/02/2024

☒ Exclude transfers from usage calculations

☒ Include usage for build ingredients

☐ Include items with suggested zero order quantity

☒ Exclude stock that will expire within3 months of projected consumption date

Builds....

☐ Include planned builds

Make sure planned builds will be covered1 times


Cancel

Create Order Now

From:  
<https://docs.msupply.org.nz/> - mSupply documentation wiki

Permanent link:  
[https://docs.msupply.org.nz/faq:wastage\\_prediction\\_due\\_to\\_expiry\\_v7-12](https://docs.msupply.org.nz/faq:wastage_prediction_due_to_expiry_v7-12)

Last update: 2024/03/11 08:13



<https://docs.msupply.org.nz/>

Printed on 2024/03/31 03:18