# 17.01. Importing items

You can import a **tab-delimited text file** of items by choosing **File > Import > Import items...**.

# • This command only imports (creates) items. You will need to do this when you are configuring mSupply for the first time, or when you are wanting to create a number of new items to your system or amend a number of existing items.

• **This process does not introduce stock.** If you would like to import stock, see the 17.02. Importing stock page.

#### You can download the

mSupply Item Import template

as a starting point for creating your item list. **Reading through this document before proceeding** with the import process is highly recommended.

During import you can specify a number of things including:

- What happens with duplicates
- Which master lists the new items will be added to.
- Which stores the new items will be visible in (if master lists aren't controlling visibility)

After selecting the menu item you are shown a message asking you to select the file to be imported on the next window:



After clicking OK, a window opens allowing you to select the file to import. After selecting it (by double clicking on the file in the window or clicking on it and clicking on the *Open* button) this window is displayed:

First line contains column headers	Preview Stores Master lists		
Remove quote characters on import	Select the stores the item will be visible in	ABNone 🗌	
If duplicate codes are detected	Stores	Visibility	
Create new duplicate items and continue			
C Ask each time	and a second sec		
Skip the duplicate without asking	An Processor Palmati		
O Stop the import	Resident Treatment		
O Update the existing item	damarali .		
	disease, traphy 2011		
	Notes Tase 7		
	Naci Tradital		
/e recommend you have an up-to-date	Receipt Tought		
ackup of your data file before attempting nport. Click the cancel button below if you	Transformer, All		
re not sure.	The second se		
	Tana Internet in the second se		
	Taxa - Caracteria - C		
	Page - Registration 1		
	Trans / Registration 1		
	State / Regulation /		
	Trade of Statements		
	¢	>	

**First line contains column headers:** If you have used the first line of your import file for column headers, check this box. Then mSupply will ignore the first row in the file, and start importing items from the second row.

**Remove quote characters on import:** If this is checked then double quote characters (") are removed from item names as they are imported. This is useful if you have exported the import file from spreadsheet software and it has placed double quote characters around the text.

If you have used double quote characters in item names (e.g. as a symbol for inches) then they will also be removed if this option is checked.

**Handling duplicate items:** During the import process, mSupply compares the item code in the import file (1st column - see below) against the codes of items already in its database to determine whether an entry is a duplicate item or not. If a duplicate item is found in the import file mSupply will handle it according to your radio button selection in the *If duplicate codes are selected* section:

 Create new duplicate items and continue and Ask each time options are disabled for Item Import.



As of v5 it should not be possible to create an item with the same code as another item. Hence, item with duplicate Item code will be ignored.

• Skip the duplicate without asking: the duplicate is ignored and not imported.

- **Stop the import:** if a duplicate is detected mSupply will stop and cancel the whole import i.e. the database will be exactly that same as it was before you started the import.
- **Update the existing item:** the item with the same code already in mSupply will be updated with all the details of the item in the import file.

# **Preview tab**

First line contains column headers	Preview Stores M	laster lists	
Remove quote characters on import	Previous	Next Record number 1	
If duplicate codes are detected Create new duplicate items and continue Ask each time	Field Code	Value Item Code	^
Skip the duplicate without asking	Item Name Units	Item Name Units	
O Stop the import O Update the existing item	Reference pack Shelf loc user_field_1 user_field_2	Reference Pack Size Shelf Location key User field 1 User field 2	
We recommend you have an up-to-date sackup of your data file before attempting mport. Click the cancel button below if you are not sure.	user_field_3 user_field_4 EDL	User field 3 User field 4 Essential Drug List	
	ATC category DDD value DDD factor	ATC Category DDD Value DDD Factor	2
	Description Department Stock account	Item Description Department Stock Account Code	
	COGS account	Purchases Account Code	, <b>'</b>

This tab enables you to see a preview of what will be imported into mSupply and helps you check that mSupply is reading what you expect from the import file.

The left hand column of the table ("Field") shows you all the fields mSupply is expecting to see (in that order, first at the top, last at the bottom of the table). The right hand column ("Value") shows you the value that mSupply has read from the file for that field. Use the *Next* and *Previous* buttons to move between the records in the import file.

# Stores tab

If the preference Automatically update item visibility in all stores to match master lists used by that store (see Preferences > Item) is checked, then item visibility is controlled by master lists and you do not have the option of selecting stores in which the item is visible. The table on this tab will be replaced with this message telling you to use the Master lists tab instead: Preview Stores Master lists



Item visibility in stores is controlled by master lists, not by setting visibility in stores directly. Please go to the master list tab to set which master lists this item belongs to.



Item visibility in each store will be turned **on** in accordance with the master lists you have selected, but visibility *won't be* turned off in stores in which the item is already visible but not associated with the selected master lists. This prevents inadvertently removing existing items from stores when your intention is to import items to specific master lists.

Preview Stores Masterlists		
Select the stores the item will be visible in	AllNone 🗌	
Stores	Visibility	
c		^
and the second se		
the Processory Protocold		
Respective Transmitted		
Managemii		-
distance, location (MTT)		
Possible Transp. 11		
Nac Treater		
Receive Country		
Transition of the		
The second se		
Trans. I Second		
Trans Transition I	n	
Team 2 Registration 2	Ō	
State insertion 1		
Proping of Concessions		4
	Select the stores the item will be visible in Stores	Select the stores the item will be visible in AliNone

- This is the tab you use to specify which stores the items you import will be visible in.
- The store you are logged into is ticked by default. Simply check the "Visibility" column checkbox for the stores you wish all imported items to be visible in.

Only imported item visibility is affected during the import. If a duplicate item is found in the import file then:

- If you choose to ignore duplicates, then the visibility of the item already in mSupply is not affected by the import process.
- If you chose to update duplicates, then the visibility of the item already in mSupply will be updated to match what you have set on this tab.

## Master lists tab

First line contains column headers	Preview Stores Master lists	
Remove quote characters on import	Select the master lists to add the item to	AllNone 🛄
If duplicate codes are detected	Master list	Add to
Create new duplicate items and continue	termination in the second	
Ask each time	Contraction in the location	Ö
Skip the duplicate without asking	Terretoriate da an traper	
O Stop the import	Internet Task   Ingening	
O Update the existing item	territorial from it framming	
	comments. Then it framework	
	Sectore Tax Disperses	
	Contractory Francis Departments	
We recommend you have an up-to-date backup of your data file before attempting	territory has a lighting	
	Contractory Francis Channers	
nport. Click the cancel button below if you re not sure.	Contractor from 1 Harring	
	Total August Trans 1 Transmitte	H
	Concernence of the second second	
	Contraction of the Contraction o	
	Internet State I Statements	
	Contraction of the Contraction o	
	Sector Sector Sector Sector	H N
	<	>

This is the tab you use to determine which master lists the items in the import file will be added to as they are imported. Simply check the "Add to list" column checkbox for the master lists you wish all the items in the import file to be added to.

Any master lists that have the "Automatically add new items to this master list" option checked will have their "Add to list" checkbox checked by default on this tab and you will not be able to uncheck them.

Note that only imported items will be added to the master lists selected. This means that items already in mSupply which match duplicates in the import file that you choose to ignore will not be

added to the selected master lists. Similarly, items already in mSupply which are updated because they match duplicates in the import file and the "Update the existing item" option was chosen are added to the selected master lists. And don't worry, if an item is already on a msster list it won't be added again.

# Import file format

Field order for the text file:

Column number	Column letter	Field	Description	
1	A	item code	18 alphanumeric characters (must be a unique value)	
2	В	item name	80 alphanumeric characters	
3	С	units	3 alphanumeric characters recommended (ea, ml or mg). Entries in the units list will be created if you import a unit that does not already exist in the data file. 60 characters supported	
4	D	reference pack size	integer	
included	e fields ar	-	ile the following fields are optional and may or may not be	
5	E	Default shelf location code	60 alphanumeric characters. The code of the shelf location that stock of this item is normally placed in. Will be offered by default when stock of the item is received on a goods received note or supplier invoice.	
6	F	user field 1	30 alphanumeric characters	
7	G	user field 2	30 alphanumeric characters	
8	Н	user field 3	30 alphanumeric characters	
9	I	user field 4	"true" or "false"	
10	J	edl	"true" or "false"	
11	К	ATC category	30 alphanumeric characters	
12	L	ddd value	8 alphanumeric characters- the ddd and its units	
13	М	ddd factor	number greater than zero (default=1)	
14	N	item description	The long description for the item. Do not include carriage retur (new lines made with the return or enter key) in your text file.	
15	0	item department	The name of the department that the item belongs to. If the department does not exist, mSupply will create it.	
16	Р	account code for stock	The account code used for stock purchases . Note that these accounts will be created if they don't exist.	
17	Q	account code for cost of goods sold		
18	R	income account code		
19	S	Default sell price		

Column number	Column letter	Field	Description	
20	т	Category	Category 1. This category is hierarchical and has 3 levels. You can enter different levels separated by :: (for example "Pharmaceuticals::Controlled::Anti-depressants" or "Controlled::Anti-depressants") or just the lowest level with no separator (for example "Anti-depressants"). mSupply will look for an existing category with the levels you define, if it doesn't find one then it will create it and assign the category to the name. If you enter only the lowest level category (for example "Anti- depressants"), mSupply will look for any lowest level category "Anti-depressants" with any or no parent. If it finds one, it will assign the first one it finds to the name being imported, otherwise it will create it with no parent and assign it to the name. We strongly recommend you use the WHO EDL categories for th field	
21	U	Category 2	60 alphanumeric characters	
22	V	Category 3	60 alphanumeric characters	
23	w	VEN category	The WHO VEN category of the item. One character only, must be V, E or N, will be ignored of it is neither of these.	
23	Х	Weight	The weight per default pack size (column D) in kg	
24	Y	Critical stock	"true" or "false"	
25	Z	Normal stock	"true" or "false"	
26	AA	User field 5	number	
27	AB	User field 6	30 alphanumeric characters	
28	AC	User field 7	"true" or "false"	
29	AD	Default volume per pack	The volume of a single pack of the default pack size in m <sup>3</sup> . This volume is filled in by default when receiving stock but can simply be overridden.	
30	AE	Default outer pack size	The number of default packs that fit in a carton. Filled in by default when receiving goods but can be simply overridden.	
31	AF	Default outer pack volume	The volume of an outer pack in m <sup>3</sup> , filled in by default when receiving goods but can be simply overridden.	
32+	AG+	ltem custom fields	After column AF (31), any custom item fields set up in the preferences (see the 16.11. Custom fields section for details) can be added. The column header must be exactly the name of the custom field (case <b>in</b> sensitive). The values entered in these columns will be saved to the item's appropriate custom field.	

#### All these are in this handy template:

#### mSupply Item Import template

The chances are that you already have a set of codes that you use internally. In this case open up Excel or a similar spreadsheet program, fill in the item description in the order shown above. For a quick solution, you only need to fill in the first four columns, the rest can be ignored.

The third column representing "Units", can be left blank, however, it is better to fill this in. The fourth column *"reference pack size"* can be set to "1" for all rows unless you know what pack size you want to use as the "standard" (Don't worry about this. The reference pack is used for comparing quotations. You can receive and issue any pack size you like).

0	A	В	C	D
1	Item code	item name	units	Reference pa
2	ace250t	Acetazolamic	ea	1
3	ace100t	Acetylsalicylic	ea	1
4	ace300t	Acetylsalicylic	ea	1
5	aci200t	Acidovir 200r	ea	1
6	aci250t	Aciclovir sodi	ea	1
7	alb400t	Albendazole	ea	1
8	alb25i	Albumin, hur	ea	1
9	abl5i	Albumin, hur	ea	1
10	alci10	Alcuronium d	ea	1
11	all100t	Allopurinol 10	ea	1
12	alu13s	Aluminium di	ea	1

Save a spreadsheet file as shown above as a **tab-delimited text file**, and then import it as described at the top of this page.



If there are non-printable characters before or after the item name and code they will be removed. Any non-printable characters in the name or code will be replaced with an underscore (\_).

### Import new item codes

If you need to change the item codes for a selection of items, it is a technically challenging process that is easy to get wrong if done manually, especially if you intend to re-use existing codes (not recommended!). Custom code has been developed to do this in bulk. Please contact Sustainable Solutions on support@msupply.foundation to discuss this. Include a link to this heading Import new



The relevant details are:

- Method: importCsvToUpdateItemCode
- mSupply Github issue 9130

#### From:

https://docs.msupply.org.nz/ - mSupply documentation wiki

Permanent link: https://docs.msupply.org.nz/import\_and\_export:importing\_items

Last update: 2025/02/28 23:53



