



# User Guide

---

## 24. Data Tables and Fields

The following tables list the main data tables in mSupply (there are some others, but we're not telling you about those!). This information will help you if you are building your own reports.

Note that if a field is indexed, finding information (querying) using that field will be very quick.

- [24.01. Main tables](#)
- [24.02. Other tables](#)
- [24.03. Foreign keys](#)
- [24.04. Internal tables](#)

Summary of table names	Main Tables	Other Tables	Foreign Keys	Internal Tables
	<ul style="list-style-type: none"> <li>•</li> <li>Aggregator table</li> <li>•</li> <li>Drug_register</li> <li>•</li> <li>Goods received line</li> <li>•</li> <li>Goods received</li> <li>•</li> <li>health_supply_hub</li> <li>•</li> <li>item_line</li> <li>•</li> <li>Item</li> <li>•</li> <li>List master line</li> <li>•</li> <li>List master name join</li> <li>•</li> <li>List master</li> <li>•</li> <li>Name</li> <li>•</li> <li>Preferences (Prefs)</li> <li>•</li> <li>Purchase Order Lines</li> <li>•</li> <li>Purchase Orders</li> <li>•</li> <li>Quotes</li> <li>•</li> <li>Requisition</li> <li>•</li> <li>Stock_take</li> <li>•</li> <li>Tenders</li> <li>•</li> <li>Transaction lines</li> <li>•</li> <li>Transactions</li> </ul>	<ul style="list-style-type: none"> <li>•</li> <li>Abbreviation</li> <li>•</li> <li>Account code</li> <li>•</li> <li>authoriser</li> <li>•</li> <li>Backorders</li> <li>•</li> <li>Bill of Materials Master</li> <li>•</li> <li>Cold chain</li> <li>•</li> <li>Contact</li> <li>•</li> <li>Currencies</li> <li>•</li> <li>Custom Stock fields</li> <li>•</li> <li>Drug Interactions</li> <li>•</li> <li>Item category</li> <li>•</li> <li>Item department</li> <li>•</li> <li>Item directions</li> <li>•</li> <li>Item Note</li> <li>•</li> <li>Item Warning link</li> <li>•</li> <li>Label</li> <li>•</li> <li>Location &amp; Location Movement</li> <li>•</li> <li>Log</li> <li>•</li> <li>Name category tables</li> <li>•</li> <li>Periods</li> <li>•</li> <li>Periods</li> <li>•</li> <li>Prescribers</li> <li>•</li> <li>Regimen</li> <li>•</li> <li>Reminders</li> <li>•</li> <li>Store</li> <li>•</li> <li>Temperature &amp; VVM</li> <li>•</li> <li>Users</li> <li>•</li> <li>Warnings</li> </ul>	<p><i>Table listing all foreign keys</i></p>	<ul style="list-style-type: none"> <li>item_store_join</li> <li>name_store_join</li> <li>name_group</li> <li>numbers</li> <li>number_re-use</li> <li>permissions</li> <li>prefs</li> <li>reports</li> <li>ship_method</li> <li>sync_out</li> <li>transaction_category</li> <li>transaction_notes</li> <li>units</li> <li>insuranceProvider</li> <li>nameInsuranceJoin</li> </ul>

Previous topic: [23. Integration with other systems](#) | | Next topic: [25. Technical Administration](#)

From:

<https://docs.msupply.org.nz/> - mSupply documentation wiki

Permanent link:

[https://docs.msupply.org.nz/admin:tables\\_fields?rev=1578890691](https://docs.msupply.org.nz/admin:tables_fields?rev=1578890691)

Last update: **2020/01/13 04:44**

