Adding barcodes to items

Added: Version 4.01

Assigning barcodes to items is an important setup activity. It is this step that enables mSupply to recognise which item a particular barcode belongs to.

You can add barcodes to items before or during the goods receipt process. The process described here is used for both - to see how the goods receipt process fits in, see Barcode scanning and receiving goods.

To start the process, view the details page of the item you want to add barcodes to (go to *Item* > *Show items...*, click on the *OK* button, double-click on the item you want in the list). Then click on the Barcodes tab on the left hand side of the details window:

ral	💼 Item name	test item 01		Store: General		
	tem code	test01	Pricing			
	General		D	efault margin 0		
r			Default sell price of prefer	red packsize 0.00		
s	D Units	None 🧠	Price editable	when issuing		
rders	Department	None				
	Category		Full description			
cile						
materials ase Orders	Category 2	None ~				
options	Category 3	None \checkmark				
ising	Interaction group	None 🗸				
ting	Item flag		VEN Category	Stock category		
	item nay		Not assigned	Normal stock		
itions	Universal code	Statistics	○ Vital	Critical stock		
ies	1	Hold: do not issue	Essential	On essential drug list		
	-	Issue in builds only	O Necessary	Custom fields		
	A	low pack to one conversion 🗹	0,	user_field_1		
	Convert pack to 1 when receiving 🗹			user_field_2		
				user_field_3		
	Shelf locations					
	Shelf location	None Outer pac	k size 0	user_field_5 0.00		
	Bulk shelf location	None Outer pack v	olume 0 m3	user_field_6		
	Preferred pack size	1 Weight per	pack 1 kg	user_field_4		
	Volume per pack	0 m3		user_field_7		
	Restricted to :					
	1100010101					

This will show you a list of the current barcodes assigned to the item:

eneral sc	🗐 Ite	em name Test item 03			Store: General 🗸
lage		tem code test03			
ock					
dger					
uotes	+	_			
ckorders	Add	Delete			
tes	Number	Manufacturer	Pack size	Barcode	Parent
concile	Number	Manufacturer	Pack size	Barcode	Parent
I of materials					^
rchase Orders					
der options					
spensing					
porting					
9					
quisitions					
rcodes					
rcodes					
					>
	<				>

This item currently has no barcodes assigned to it but this is the information each column displays:

- Number: a sequential number for each barcode, starting at 1
- **Manufacturer**: the name of the manufacturer of the medicine
- **Pack size**: the number of individual items (tablets, bottles etc.) in the pack this barcode represents
- **Barcode**: the human readable form of the barcode, just the identifier and the 14 digit GTIN. An identifier of 01 indicates a global GS1 barcode, an identifier of 04x identifies an internal mSupply barcode (assigned because the manufacturer didn't put one on the item's packaging
- **Parent**: the number (shown in the Number column) of the barcode that is the parent (i.e. has the next largest pack size) of this barcode

GS1 barcodes are unique to the combination of item, pack size and manufacturer.

Deleting a barcode

To delete a barcode, click on it in the table to select it and click on the *Delete* button. You will be asked to confirm the deletion. But please note, you will not be able to delete any barcode that has been assigned to a line of stock.

Adding a barcode

To add a barcode to the item, click on the *Add* button. This window appears:

🖢 New Barcode				—		×
ltem Test ite	m 03		testi03			
Barcode			S			
Pack size 1						
Manufacturer			+			
Barcode for next out	er-level packaging					
Manufa	acturer	Pack size	Barcode		Select	
						^
						v
<					>	
	[Cancel	OK & Next		ОК	

Previous: Barcode scanning introduction and setup Next: Barcode scanning and receiving goods

From: https://docs.msupply.org.nz/ - mSupply documentation wiki Permanent link: https://docs.msupply.org.nz/barcode_scanning:adding_barcodes_to_items?rev=154843880 Last update: 2019/01/25 17:53

