The **Diagnoses** functionality allows you to quickly save a diagnosis on a patient's prescription.


Viewing and Adding Diagnoses

Select the **Diagnoses** icon from the **Special** tab on the mSupply navigator window.



This will open the **Show diagnoses** window with a list of all diagnoses.

- The list will initially be ordered by date created. However, the list can be sorted by the ICD code or ICD description by clicking on the respective column header.
- You can use the search box to search for a diagnoses using either an ICD code or the ICD description.



New diagnosis		Search	
ICD code	ICD Description	Sear Cri	Active
SA11	Type 2 diabetes mellitus		
BA00	Essential hypertension		
BA80	Coronary atherosclerosis		Ō
BA00/SA11	Essential hypertension, Type 2 diabetes mellitus		

The list can be filtered using the **Show** drop-down box on the top right of the window:

- All: active and inactive diagnoses.
- Active: diagnoses that have not yet reached their specified valid till date.
- **Inactive**: diagnoses that have passed their specified valid till date. Inactive diagnoses will not appear in other windows, and cannot be saved to a patient prescription.

Click on the **New diagnosis** button on the top-left of the window to add a new diagnosis. This window will open:

• • •	New diagnosis
ICD code	
Description	
	00/00/00
Notes	
	OK & Next Cancel OK

Enter the ICD Code and Description. Please note:

• mSupply does not check the data entry in these boxes. Please double-check that you have entered the information correctly.

Enter the **Valid till** date. You can use the date selection tool by clicking on the calendar to the right of the box.

- The date entered determines how long the diagnosis will remain active. After this date the diagnsis will be automatically made inactive.
- The valid till field is non-mandatory. Leaving this field blank results in the code remaining permanently active.

Diagnoses on Prescriptions

You must first turn on the *Allow users to choose diagnoses on prescriptions* store preference to allow diagnosis selection on prescriptions. See the 25.08. Virtual stores page for details.

When this preference is turned on, when you create a new prescription you will be able to select a diagnosis using a drop-down list. The drop-down list will display and allow selection of any active diagnosis:

itient details										в	lack
2	Name			Date	of birth	: 00/00/00		Female	5 mm -	lawthorn East	
iew Patient	Code:				Address					27/11/20	linic
Provide Ta	arch Prescriber		Confirm date :	00/00/00					Invoice (
Code:	arch Prescriber	1	Prescription date								
Cour.									Entered by 1	Name (passwor	1 = pass)
					Diagn	osis None		•			
_											
+	— •	🕶 🔳				Refere	nce	Categ	pory None	8	_
New line De	lete line(s) Backorders	History Repeats				N	iote				1
				Items	Log						
				_							
Line Location		Item Name		Quan	Pa_	Batch	Exp date	Sell Price	Pric	te exten	
_				_							
s i 🛛	👗 Item:			Amou	int:	0.00			Subt	otal:	0.00
Date				Notes						tax:	0.00
					+	New note			0% disco		0.00
						Delete not			т	otal:	0.00
						Dencie mat			Amount Outstand	ling:	0.00

The diagnosis selected will be saved against the prescription together with all other information provided in the Prescription entry window.

Previous: 10.06. Abbreviations for dispensing | | Next: 10.08. Label printing preferences

From: https://docs.msupply.org.nz/ - mSupply documentation wiki

Permanent link: https://docs.msupply.org.nz/dispensing:diagnoses?rev=1619429306



Last update: 2021/04/26 09:28