

10.02. Prescription entry

In dispensary mode, supply of items is made using a patient's **prescription** (rather than a **customer invoice** for a standard customer in store mode). Choose **Patient > New prescription** from the menus or the new prescription icon on the Navigator:



This will show the prescription entry window:



How to look up an existing patient

Type something in the Name field in the prescription entry window shown above and press the *Tab* key on the keyboard to see a list of patients matching what you typed.

Anything you type before a comma is treated as the start of a last name, anything typed after a comma is treated as the start of a first name.

• For example, to find **John Smith**, you could enter "Smi,J" or "smith,joh"

If you know the patient's code, enter the start of it prefixed with an asterisk (*)

• For example, to find the patient with code **5829854** you could enter "*58298"

If your patient has already been created in the system, then these entries should bring up the patient in question, or a small enough list of patients for you to choose from.



Always search for your patient in this way first, before entering a new patient, to avoid entering the same patient multiple times.

If only one patient matches what you have typed, after pressing the *Tab* key on the keyboard their last and first name will be put in the **Name** field separated by a comma and their other details will be filled in on the rescription entry window e.g. patient code, date of birth, gender, address.

If more than one patient matches what you have typed, after pressing the *Tab* key on the keyboard you are shown a list of the patients that matched:

2	<		
New Patient Merge Re	emote Search		
Name	Code	Birth Date	Address
Auatabu, Rozanna	0160/47/00	28/08/1985	
Barenaba, Lucas	0101/34/00	29/08/1983	
Bountarawa, Andrei	0152/20/00	30/06/1983	
Buatia, Ron	0027/09/00	30/06/1955	Betio
Erene, John	0053/02/00	25/08/1999	Teaoraereke
Granger, Hermione	0046/06/00	12/12/1968	
Healey, Nora	00107/06/00	30/06/1939	Teaoraereke
lareta, Ted	0057/07/00	20/01/1999	Bikenibeu
loteba, Emily	0104/05/00	30/06/1995	Buota
Kaitau, Malala	0162/33/00	30/06/1998	Buota
Kaongotao, Ignotus	0152/27/00	30/06/1988	Nawerewere
Kirata, Quentin	0102/10/00	30/06/1934	Bikenibeu
Koriander, Basil	0027/06/00	30/06/1977	Bikenibeu
Malfoy, Draco	0024/05/00	17/06/1993	Teaoraereke
Marshall, Suying	0152/39/00	14/04/2000	Bonriki
Matiota, Chris	0140/37/00	30/06/1996	Taborio
Moemoe, Alex	00102/19/00	29/07/1998	Bikenibeu
Nicole, Banteuea	0121/37/00	30/06/1996	Bikenibeu
Potter Harry	0029/04/00	18/02/2000	Antehuka
Double-click a name to choose it			
20/62			Cancel Use

- Find the correct patient in the list and double-click on them or single-click on them and click the **Use** button to select them.
- If you can't see the correct patient, click on the **Cancel** button to try the search again or to add them as a new patient as described on the Patients page.
- When you select a patient a few of their details will be displayed in the *Patient details* section of the window and any **Notes** they have will be displayed (see here for details on how to update their notes).

Editing patient details

Once you have chosen a patient, you can click the small down-arrow to the right of the patient name to display a window where the patient details can be viewed and edited (see below):

Patient details		ſ		
Name Snail, Rik	Date of birth : 7/03/	58 🗌 Female St	Black ore: General	
New Patient Code: 22	Addeser -	Edit patient		
Prescriber Search Prescriber				
				Store: General C
		escriptions Notes History PN	AR Backorders Store	
🔹 📼 🖬 🐨 🔳	Name	Restriction		
New line Delete line(s) Backorders History Repeats	Code 22	Hold- do not issue		
ine Location Item Name	Last Snail	Contact		
	First Rik	email riksanil@gma	il.com	
	Date of birth 07/03/1958 Age 58.89	web site		
	🔿 Female 🧧 Male	Phone		
	Price Category A	Fax		
	Other			
	Category 1 none 🔍 Cat	egory 4 none	Custom 1	
		egory 5 none	Custom 2	
🗎 💽 🏊 item:		egory 6 none	Custom 3	_
		Comment	Custom 3	-
Date 21/12/16 weighed Mr Snail - he weighs 84kg t	Flag	Comment		
	Main/Billing Address			
	Address 1	Lat	0	
	Address 2	Long	0	
Finalise Export batch: 0 Status: nw				_
	Country	View on	мар	Print
	Delete Patient		OK & Next	Cancel OK

dispensing:prescription_entry https://docs.msupply.org.nz/dispensing:prescription_entry?rev=1589464492

Clicking the Print icon at this point will give you access to reports showing all prescription history.

Entering the prescriber

Last update: 2020/05/14 13:54

Once you've chosen a patient, the cursor will automatically advance to the prescriber entry field.

• • •		Prescription entry
Patient details		
2	Name Snail, Rik	Date of bir
New Patient	Code: 22	Addre
Prescriber	earch Prescriber	Confirm date : 00/00/00

To enter a prescriber, you can type either their code, their last or first name in full or abbreviated, or "last comma first". For example for the prescriber Dr Felix Brown (whose code is 123) any of the following are acceptable:

- 123
- bro
- fel
- bro,fe

Press the **tab** button after making the entry to show a list of matching prescribers. If only one prescriber matches, the name will be entered directly without the list being shown.

5/14

Entering prescribed items

On the *Prescription entry* window click on the **New line** button and the *Add item* window appears:

Add item Item Line O Quan O of Pack O	0 Bulk/Outer pack size	0	Repeats Total Repeat left Expiry date	New item
Directions Abbreviation				×
Expanded directions				~
			Cancel	OK OK & Next

Type the first few characters of the item's name or code in the **Item** field and press the *Tab* key on the keyboard to select the right item from a matching list. Tip: if you enter the complete code mSupply will be able to identify the item and will select it straight away, saving you time and mouse-clicks.

When you have selected the item, the details of the stock available for that item are filled out:

Line Quan	1							ه 🤳	mo500t		+	
Quan								Repea			New item	_
a a a a a	1	2 of 9998	1						Total Repeat left			S.
Pack	1	1		Bulk/	Outer pack	size 0			Expiry date			peat ntitie:
Ad	dd Place	e holder										
Line Is	ssue	Available	Tot in store	Pack.	Hold	Batch	Expdate	Supplier	Location	Cost Price	Sell price	St
1	0	9998	9998	1		qwerty890	30/04/2025	Transit		15.03	15.03	
<		antity issu		0								>

The first line of stock in the table is selected by default (the first expiring one). If you want to dispense from another, double-click it in the list. Enter the amount you want to give the patient of the selected

stock line in the **Quan** field and click on the **OK** button if you've finished adding lines or the **OK & Next** button if you want to add another line.

Note that if the store preference **Edit prescribed quantity on prescription** is turned on (see Store preferences for details), an additional **Prescribed quantity** field is present for you to enter the appropriate quantity:

ltem Line Quan Pack		0 of 9998	cribed Quan		0 Outer pa	ck size 0		Repeat	mo500t ts Tota Repeat lef Expiry date	t		S peat ntitie
Line	Issue	Available	Tot in store	Pack	Hold	Batch	Expdate	Supplier	Location	Cost Price	Sell price	St
1	0	9998	9998	1		qwerty890	30/04/2025	Transit		15.03	15.03	
<												>
		uantity issu ntity availa		0 996								
rections Abbrevia	tion											~
Expan directi												1

If the **Show direction entry in dispensary mode** preference in **File > Preferences** (Dispensary mode tab) is turned on then you can now enter the directions telling the patient how to take the medicine.

Entering directions

For many commonly prescribed items, default direction abbreviations can be defined - refer to the section on Item Default Directions. In the example below, the item being dispensed is FRUSEMIDE 40mg tablets, and the default directions are "Take ONE tablet in the morning". Alternative directions present may be displayed by clicking on the down arrow to the right of the abbreviated direction field; directions not already present may be typed in using either the *Abbrev* entry area, or the *Expanded* entry area.

Note that you can mix abbreviations and text like this.

Abbreviations	
Abbreviatio	1t om
Expanded directions	Take ONE tablet in the morning

The drop-down list shows any default abbreviations you have entered for the chosen item. If one or more default abbreviations exists, the highest priority default abbreviation will be 'suggested' when you choose the item. If there is more than one standard abbreviation available, you can choose another one by choosing it from the drop-down list.

mSupply stores the expanded text for each line, not the abbreviation. This means that there is a full audit trail of what was printed on the label (unless you edit the directions after printing!).

Default directions

The set up of default directions is done on the dispensing tab when editing an item. You will find it described here.

View history

In the new prescription entry window, once you have entered a patient name you can click the "history" button to view a patient's history of what you have dispensed.

Date	Number	Item	Quantity	Directions
17/08/2006	Z109	CIMETIDINE TABS 400MG	28	Take ONE tablet TW/ICE a day until all taken
17/08/2006	2113	AMOXYCILLIN TABS/CAPS 250NG	42	Take TWD capsules THREE times a day until all taken
17/03/2006	2113	PARACETAMOL 500MG + CODE INE F	20	Take TWD tablets FOUF times a day when necessary for pa
_				

Duplicating a prescription

Once you have a history window open you can click to select a single entry or control-click to select multiple entries, then click the "duplicate" button to create new prescription line(s) with exactly the same details. Stock will be issued for these lines automatically.

Repeats

mSupply allows for the recording of repeat prescription. This is achieved when the prescription is first dispensed; in the *Add item* window, click on *Total* field in *Repeats* box in the top right corner of the window, and enter the number of repeats that the prescriber has authorised. The Repeat Dispensing procedure is described here.

ltem	Quantity	Total repeats	Repeat left	Expiry date
ABACAVIR TABS 300NG	20	4	3	13/4/07
() 4 F

Repeat dispensing

The Repeats panel (upper right of the window shown below) allows details of repeat prescriptions to be recorded. Take the example of a patient presenting a precription for Frusemide 40mg tabs x 30 on 1st January 2007, with the prescriber requesting "Repeat monthly x5"; in the *Total* field you should enter "5", and in the *Expiry Date* field you have the option of entering (a) the actual date on which the final repeat may be issued - in this example, "1 July 2007" (allowing the patient one month's grace) - or (b) "6m" for 6 months. Note that the characters "D", "W" & "M" in upper or lower case are interpreted in this particular field as the specified number of days, weeks or months before the repeat instruction expires. mSupply defaults to an expiry date two months later than the current date, but this may be edited as appropriate. The system automatically updates the number of repeats remaining as the patient makes further visits to have the repeats dispensed. The window below is displayed when you click on the *New line* in "*Prescription window*"

Item	FRUSE	MIDE TAB	S 40MG						frt4	0	New item	
Line		1							Repeat	s		
Quan	_	20 of 8	67.55							Total	4	\$
Pack	_	1 EA		Bulk/Outer	narkoi	79	0			Left	4	Repeat
TUCK	_	I LA		DUIKIUU(e)	pack or	26	U U		E×pi	ry date	13/04/07	Quantities
	Ad	ld Place ho	lder									
	Line	Issue	Available	Tot in store	Pack	Hold	Batch	Expdate	Supplier	Locatio	n Cost Price	Sell price
	1	20	867.55	867.55	1		E014	4/7/10	TAIWAN		0.00	0.00
		al quantity		20								
	Total c	quantity av	ailable	867.55								
Direction	is/Note	e										
Abbrev	1t om	1									1t om	•
kpanded	Take	ONE table	t in the mo	rning								

The number of repeats is assigned in *Total* field in Repeats box, and as the repeats are dispensed, the number remaining is displayed in the *Left* field.


When you click on the blue arrows on the upper right side ,the total repeat number and total quantity for each repeat is shown. Clicking on the small arrow displays the window below.

2	e Repeat		×
			-
	Repeat number	Quantity 🗠	
	1	20	
	Z	20	
	3	20	
	4	20	
		~	
	¢2	ОК) ::

This window allows the user to alter the quantity of a particular repeat - e.g. if there is insufficient stock on a particular visit of the patient; the quantity can be edited by clicking on the quantity line, and again clicking on the quantity, which may now be edited. The arrow on the left bottom corner enables you to restore the default quantity setting.

Once you have filled repeat and other details on the *Add item* window properly, click on *OK* button to save details.

The Repeats icon is contained in Prescription entry.



When the *Repeat* function is used, and there are future repeats to be issued, the icon appears on a red background:

Prescription e Patient details New Patient	Name Patient, A. Code: T22975	
Prescriber S	earch Prescriber	Confirm date
New line Delete	line(s) Backorders History	Reference Note
Line Location	Item Nar	ne

The red background disappears when either:

- expiry date is reached
- all repeats have been dispensed

You can issue the repeat to a particular patient. Clicking on the *Repeats* icon displays this window:

tem	Quantity	Total repeats	Repeat left	Expiry date
PARACETAMOL TABS 500MG	30	3	2	14/4/07
ANOXYCILLIN TABS/CAPS 250NG	20	4	3	14/4/07

The repeat window shows items to be dispensed, quantity, total repeats, repeats remaining and expiry date for a particular repeat. *Process repeats* and *OK* button are described below.

ОК

Click the OK button to exit from the Repeats window

Process repeats

This button is used to issue the repeat for a particular patient and for a particular item line. For issuing the repeat, first select a desired item line and then click on the *Process repeats* button. Now the system automatically manages the repeats internally.

11/14

Printing labels

Dispensing labels are printed when the *Print labels* box is checked in the *Prescription Entry window*. You can specify what information gets printed on dispensing labels in **Dispensary Mode Preferences**.

S i 🛛 🛋	Item:		Amount:	0.00			
Date			Notes	_		Subtotal:	10.05
				🛉 New note		0 % tax:	0.00
				E Delete note		Total:	10.05
Finalise Export bat	tch: 0 Si	atus:nw 🥑 Print receij	pt		OK & Next D	elete OK	•

Sample labels, produced by the Zebra TLP2844 printer are reproduced below:



mSupply currently is designed to work with the Zebra TLP 2844 label printer. The Zebra is a very nice printer. It can use either thermal labels or a thermal ribbon which gives non-fading results.

We currently support plain 90 x 40mm label stock as this is cheap and readily available. The Zebra printer is auto-sensing of the ending of a label, so you can most likely used labels longer than 40mm with no problems.

- Label specifications:
- 90mm x 40mm high
- White Matt Thermal Transfer Paper
- Wide Edge Leading
- 1 Across on a roll
- Perforation between each label

• Produced on 1" core to suit TLP2844

We are happy to support other printers if you use a different brand.

Reprinting labels

If you need to print the labels for an item again, choose Patient > Show Prescriptions to locate the prescription entry.

In the list of items dispensed, click on the line you wish to reprint, and then click OK (with the printing checkbox checked)

If you wish to reprint labels for all the items on the prescription, first click in the list of items below the last item so that now one item is highlighted. Then all labels will be preinted when you click OK

Printing multiple labels

If you want to print more that one label for an item, hold down the *Alt* key (*Option* on Mac) as you click the OK button. You will be asked for the number of labels required as the label is about to print.

What if there is not sufficient stock of one batch?

As the quantity of a particular batch of an item gets used up, you will need to issue stock from more than one batch to a patient. mSupply handles this when printing labels, and combines the totals for any item on a prescription so that only one label is printed for the total quantity.

The directions for the item with the first line number will be used, so enter directions for the first batch you dispense, and leave the directions empty for subsequent batches.

Note: if you have the rare situation where you need to issue the same item to one patient with different directions you should either combine the directions onto the one label, or enter two prescriptions with the directions entered differently on each prescription (That is enter the line, then print the label(s), then choose Patient > New prescription and issue the item again with the second set of directions).

Receiving payments

You can recieve payments for prescriptions directly from the prescription window if you wish (the alternative is to receive them using the customer receipts module. Both result in the same transactions being created in mSupply but will suit different physical workflows.

See the special page on receiving payments from the prescription window here 11.03. Prescription payments and credits.

Printing receipts

You can print a receipt for a patient's payment of a prescription if you have the **Receive payments from prescription window** preference turned on (see **Dispensary preferences** for details) .

13/14

Receipts are printed (from the same printer as the labels) when the **Print receipt** box is checked on the *Payment* tab of the prescription entry window:

itent details	Name Code:	Ţ	Date of birth : 00/00/00 Address :	Female	Black Store: AKPESSEKRO (CSR-D PUBLIC Entered 07/05/2020
Presoriber S Code:	earch Prescriber	Confirm date : Prescription date	00/00/00 07/05/2020 Patient type Inpatient	v	Invoice 0 Entered by Sussol
terns Paymen	t s will be automatically finalised if	a cavment is entered.			_
	Cheque #			Select Insurance	
	Cheque #			Select Insurance Invoice to Payable by insurant Total outstandie Available cree Amount paid by patie Amount paid by cree	0.00 ng 0.00 dt 0.00

Receipts may also be reprinted later by opening the prescription and checking the *Print receipt* box again - in which case they will have the text "COPY" printed at the bottom.

After printing the medicine labels, a patient receipt will be printed as shown below.

		1: 122731		yan Ahdieh : 25/04/07
ŧ	Gty	Iten name		Price
1	21 20	Amoxicillin 250 Paraoetamol 500 Total :	ng cap ng tab (0.27 0.07 0.34
	v	aiola Hospita Nuku'alofa,		acy

If you don't have a printer setup in **Special > Printing preferences** you will be prompted to select one or set one up. If that is not possible, receipt printing will be cancelled.

Previous: 10.01. Dispensary mode || Next: 10.03. Patients

From: https://docs.msupply.org.nz/ - **mSupply documentation wiki**

Permanent link: https://docs.msupply.org.nz/dispensing:prescription_entry?rev=1589464492



Last update: 2020/05/14 13:54