mSupply documentation wiki - https://docs.msupply.org.nz/

# 17.01. Importing items

You can import a tab-delimited text file of items by choosing **File > Import > Import items...**.


- This command only imports (creates) items. You will need to do this when you are configuring mSupply for the first time, or when you are wanting to create a number of new items to your system.
  - **This process does not introduce stock.** If you would like to import stock, see the **17.02**. Importing stock page.

During import you can specify a number of things including:

- What happens with duplicates
- Which master lists the new items will be added to.
- Which stores the new items will be visible in (if master lists aren't controlling visibility)

After selecting the menu item you are shown a message asking you to select the file to be imported on the next window:

After clicking OK, a window opens allowing you to select the file to import. After selecting it (by double clicking on the file in the window or clicking on it and clicking on the *Open* button) this window is displayed:



2025/08/13 20:12

First line contains column headers	Preview Stores Masterlists		
Remove quote characters on import	Select the stores the item will be visible in	All/None 🗌	
If duplicate codes are detected	Stores	Visibility	_
Create new duplicate tems and continue			
Ask each time			Ĩ
Skip the duplicate without asking	An Annual Training		
O Stop the import	Name and Address of State of S		
O Update the existing item	Second .		1
Constraine me existing term	Annual Traphy States		
	Reside Teaco P		
	Age Treater		
le recommend you have an up-to-date	Routh Trapper		
ackup of your data file before attempting	Propagation and		
nport. Click the cancel button below if you re not sure.	Tragenation.		
a tras and a	Later Tablet		
	Care - Salar sala		
	Trans. C. Bagetti Mine D.		
	The Construction of the Co		
	9		
	Trans. III Secondary		~
	<	>	

**First line contains column headers:** If you have used the first line of your import file for column headers, check this box. Then mSupply will ignore the first row in the file, and start importing items from the second row.

**Remove quote characters on import:** If this is checked then double quote characters (") are removed from item names as they are imported. This is useful if you have exported the import file from spreadsheet software and it has placed double quote characters around the text.

If you have used double quote characters in item names (e.g. as a symbol for inches) then they will also be removed if this option is checked.

**Handling duplicate items:** During the import process, mSupply compares the item code in the import file (1st column - see below) against the codes of items already in its database to determine whether an entry is a duplicate item or not. If a duplicate item is found in the import file mSupply will handle it according to your radio button selection in the *If duplicate codes are selected* section:

 Create new duplicate items and continue and Ask each time options are disabled for Item Import.



As of v5 it should not be possible to create an item with the same code as another item. Hence, item with duplicate Item code will be ignored.

- Skip the duplicate without asking: the duplicate is ignored and not imported.
- **Stop the import:** if a duplicate is detected mSupply will stop and cancel the whole import i.e. the database will be exactly that same as it was before you started the import.
- Update the existing item: the item with the same code already in mSupply will be updated with all the details of the item in the import file.

## **Preview tab**


First line contains column headers	Preview Stores M	laster lists	
Remove quote characters on import	Previous	Next Record number 1	
If duplicate codes are detected Create new duplicate items and continue	Field	Value Item Code	_
<ul> <li>Ask each time</li> <li>Skip the duplicate without asking</li> </ul>	Item Name	Item Name	
Stop the import	Units Reference pack	Units Reference Pack Size	
O Update the existing item	Shelf loc user_field_1	Shelf Location key User field 1	
	user_field_2 user_field_3	User field 2 User field 3	
Ve recommend you have an up-to-date sackup of your data file before attempting	user_field_4 EDL	User field 4 Essential Drug List	
mport. Click the cancel button below if you are not sure.	ATC category	ATC Category DDD Value	2
	DDD factor	DDD Factor	
	Description Department	Item Description Department	
	Stock account COGS account	Stock Account Code Purchases Account Code	
	Taraana arrawat <	Income Account Cada	> *

This tab enables you to see a preview of what will be imported into mSupply and helps you check that mSupply is reading what you expect from the import file.

The left hand column of the table ("Field") shows you all the fields mSupply is expecting to see (in that order, first at the top, last at the bottom of the table). The right hand column ("Value") shows you the value that mSupply has read from the file for that field. Use the *Next* and *Previous* buttons to move between the records in the import file.

### **Stores tab**

If the preference Automatically update item visibility in all stores to match master lists used by that store (see Preferences > Item) is checked, then item visibility is controlled by master lists and you do not have the option of selecting stores in which the item is visible. The table on this tab will be replaced with this message telling you to use the Master lists tab instead:





Item visibility in each store will be turned **on** in accordance with the master lists you have selected, but visibility won't be turned off in stores in which the item is already visible but not associated with the selected master lists. This prevents inadvertently removing existing items from stores when your intention is to import items to specific master lists.

20	Import	preview
----	--------	---------

	First line contains column headers
	Remove quote characters on import
lf du	plicate codes are detected
	Create new duplicate tems and continue
0	Ask each time

		10000		
Ask	each ti	ne -		

Skip the duplicate without asking

O Stop the import O Update the existing item

are not sure.

We recommend you have an up-to-date backup of your data file before attempting import. Click the cancel button below if you

eview Stores Master lists	
elect the stores the item will be visible in	AllWone 🗌
Stores	Visibility
- Personal Talical	
Colpation Transition	
terrar at	
Statement, Transferr (STT)	and the second se
Name Tame 7	
Age: Troughter	
Auto fragme	
transform its	
hagen allow	
and Talker	
Tagen - Stagenerage	
County of Physical Advances of County of Count	
Taxes - Taylor allow 1	
Table 1 Pagett allow 1	
New - New York Street F	
¢	3
	1004
Cancel	Import now

- This is the tab you use to specify which stores the items you import will be visible in.
- The store you are logged into is ticked by default. Simply check the "Visibility" column checkbox for the stores you wish all imported items to be visible in.

Only imported item visibility is affected during the import. If a duplicate item is found in the import file then:

- If you choose to ignore duplicates, then the visibility of the item already in mSupply is not affected by the import process.
- If you chose to update duplicates, then the visibility of the item already in mSupply will be updated to match what you have set on this tab.

# Master lists tab

First line contains column headers	Preview Stores Master lists	
Remove quote characters on import	Select the master lists to add the item to	All/None 🛄
If duplicate codes are detected	Master list	Add to list
Create new duplicate items and continue	Summer Contractor	
Ask each time	Contract in france	ŏ
Skip the duplicate without asking	Contractory day one fragmer	
O Stop the import	testimati has charting	
O Update the existing item	Contribution Trans. of Departments	
	research Task of Passenge	
	Contractor Page 2 Segments	
	Contractor Contractor	
Ve recommend you have an up-to-date	Concerning from 2 Departures	
ackup of your data file before attempting nport. Click the cancel button below if you	Contractor Contractor	
re not sure.	Contractor Contractor	ä
	Contraction of the second second	H
	Internet, San Dissertion	8
	International Control Concerning	ä
	International Property Street	ā
	Terretower: Transa	
	Contractor cando maginar	
	<	>

This is the tab you use to determine which master lists the items in the import file will be added to as they are imported. Simply check the "Add to list" column checkbox for the master lists you wish all the items in the import file to be added to.

Any master lists that have the "Automatically add new items to this master list" option checked will have their "Add to list" checkbox checked by default on this tab and you will not be able to uncheck them.

Note that only imported items will be added to the master lists selected. This means that items already in mSupply which match duplicates in the import file that you choose to ignore will not be

added to the selected master lists. Similarly, items already in mSupply which are updated because they match duplicates in the import file and the "Update the existing item" option was chosen are added to the selected master lists. And don't worry, if an item is already on a msster list it won't be added again.

## Import file format

Field order for the text file:

Column number	Column letter	Field	Description
1	A	item code	18 alphanumeric characters (must be a unique value)
2	В	item name	80 alphanumeric characters
3	С	units	3 alphanumeric characters recommended (ea, ml or mg). Entries in the units list will be created if you import a unit that does not already exist in the data file. 60 characters supported
4	D	reference pack size	integer

The above fields are mandatory, while the following fields are optional and may or may not be included

as per your requirements

as per yu	ui require	ments		
5	E	Default shelf location code	60 alphanumeric characters. The code of the shelf location to stock of this item is normally placed in. Will be offered by de when stock of the item is received on a goods received note supplier invoice.	
6	F	user field 1	30 alphanumeric characters	
7	G	user field 2	30 alphanumeric characters	
8	Н	user field 3	30 alphanumeric characters	
9	I	user field 4	"true" or "false"	
10	J	edl	"true" or "false"	
11	К	ATC category	30 alphanumeric characters	
12	L	ddd value	8 alphanumeric characters- the ddd and its units	
13	М	ddd factor	number greater than zero (default=1)	
14	N	item description	The long description for the item. Do not include carriage returns (new lines made with the return or enter key) in your text file.	
15	0	item department	The name of the department that the item belongs to. If the department does not exist, mSupply will create it.	
16	Р	account code for stock	The account code used for stock purchases . Note that these accounts will be created if they don't exist.	
17	Q	account code for cost of goods sold		
18	R	income account code		
19	S	Default sell price		

Column number	Column letter	Field	Description	
20	Т	Category	Category 1. This category is hierarchical and has 3 levels. You can enter different levels separated by :: (for example "Pharmaceuticals::Controlled::Anti-depressants" or "Controlled::Anti-depressants") or just the lowest level with no separator (for example "Anti-depressants"). mSupply will look an existing category with the levels you define, if it doesn't fir one then it will create it and assign the category to the name. you enter only the lowest level category (for example "Anti- depressants"), mSupply will look for any lowest level category "Anti-depressants" with any or no parent. If it finds one, it will assign the first one it finds to the name being imported, otherwise it will create it with no parent and assign it to the name. We strongly recommend you use the WHO EDL categories for this field	
21	U	Category 2	60 alphanumeric characters	
22	V	Category 3	60 alphanumeric characters	
23	w	VEN category	The WHO VEN category of the item. One character only, must be V, E or N, will be ignored of it is neither of these.	
23	Х	Weight	The weight per default pack size (column D) in kg	
24	Y	Critical stock	"true" or "false"	
25	Z	Normal stock	"true" or "false"	
26	AA	User field 5	number	
27	AB	User field 6	30 alphanumeric characters	
28	AC	User field 7	"true" or "false"	
29	AD	Default volume per pack	The volume of a single pack of the default pack size in m <sup>3</sup> . This volume is filled in by default when receiving stock but can sim be overridden.	
30	AE	Default outer pack size	The number of default packs that fit in a carton. Filled in by default when receiving goods but can be simply overridden.	
31	AF	Default outer pack volume	The volume of an outer pack in m <sup>3</sup> , filled in by default when receiving goods but can be simply overridden.	

#### All these are in this handy template:

#### mSupply Item Import template


The chances are that you already have a set of codes that you use internally. In this case open up Excel or a similar spreadsheet program, fill in the item description in the order shown above. For a quick solution, you only need to fill in the first four columns, the rest can be ignored.

The third column representing "Units", can be left blank, however, it is better to fill this in. The fourth column *"reference pack size"* can be set to "1" for all rows unless you know what pack size you want to use as the "standard" (Don't worry about this. The reference pack is used for comparing quotations. You can receive and issue any pack size you like).

0	A	В	C	D
1	Item code	item name	units	Reference pa
2	ace250t	Acetazolamic	ea	1
3	ace100t	Acetylsalicylic	ea	1
4	ace300t	Acetylsalicylic	ea	1
5	aci200t	Aciclovir 200r	ea	1
6	aci250t	Aciclovir sodi	ea	1
7	alb400t	Albendazole	ea	1
8	alb25i	Albumin, hur	ea	1
9	abl5i	Albumin, hur	ea	1
10	alci10	Alcuronium d	ea	1
11	all100t	Allopurinol 10	ea	1
12	alu13s	Aluminium di	ea	1

Save a spreadsheet file as shown above as a **tab-delimited text file**, and then import it as described at the top of this page.

If the file you are importing has non-English characters (for example, accents), it is important to make sure the file is saved with a UTF-8 charset. You can check this by opening the file in Notepad (for Windows). When you save the file, you can choose the Charset used, as shown in image below.



If there are non-printable characters before or after the item name and code they will be removed. Any non-printable characters in the name or code will be replaced with an underscore (\_).

# Import new item codes

If you need to change the item codes for a selection of items in bulk, custom code has been developed for this purpose. It is a technically challenging process that is easy to get wrong. Please contact Sustainable Solutions on support@msupply.org.nz to discuss this. Include a link to this

heading Import new item codes



The relevant details are:

- Method: importCsvToUpdateItemCode
- mSupply Github issue 9130

#### Previous: 17. Data Import and Export | | Next: 17.02. Importing stock

From:

https://docs.msupply.org.nz/ - mSupply documentation wiki

Permanent link: https://docs.msupply.org.nz/import\_and\_export:importing\_items?rev=1688564113

Last update: 2023/07/05 13:35

