


11.03. Prescription payments and credits

Prescription payment preferences

To receive payments for prescriptions in a dispensary, go to **Dispensary Mode Preferences** and check the **Receive payments from prescription window** box.


Once activated, a **Payment** tab will appear in the *Prescription Entry* window:



Entering the payment

To enter a payment from the Prescription Entry window:

1. Click on the **Payment** tab.
2. The **Total payment** field shows the amount that needs to be paid by the patient. Enter the amount the patient actually gives you in the **Amount given** field, then press the *Tab* key on the keyboard:



Prescription Entry

Patient details

Name: Patient, Test Date of birth: 23/11/1974 Female

New Patient Code: Testp01 Address:

Prescriber: Search Prescriber Confirm date: 00/00/00 Prescription date: 04/06/2020

Store: AKPESSEKRO (CSR-D PUBLIC) Entered: 04/06/2020 Invoice: 431 Entered by: Sussol

Items Payment

Other details

This invoice will be automatically finalised if a payment is entered.

Cheque #:
Note:

To Pay

Invoice total: 300.00
Total to pay: 300

Patient's credit status

Current balance: 0.00 Credit limit: 0.00 Available credit: 0.00


Payment details

Select the payment type:

Amount paid by credit: <input type="text"/>	0.00
Amount paid by patient: <input type="text"/>	300.00
Total payment: <input type="text"/>	300
Amount given: <input type="text"/>	500
Change to give back: <input type="text"/>	200

Finalise Export batch: 0 Status: nw Print receipt OK & Next Delete OK

3. In this example, the prescription cost is \$300 and the patient will pay with a \$500 note, so 500 is entered in the **Amount given** field and the *Tab* key pressed. mSupply then shows you the change that is to be given back to the patient in the **Change to give back** field:



Prescription Entry

Patient details

Name: Patient, Test Date of birth: 23/11/1974 Female

New Patient Code: Testp01 Address:

Prescriber: Search Prescriber Confirm date: 00/00/00 Prescription date: 04/06/2020

Store: AKPESSEKRO (CSR-D PUBLIC) Entered: 04/06/2020 Invoice: 431 Entered by: Sussol

Items Payment

Other details

This invoice will be automatically finalised if a payment is entered.

Cheque #:
Note:

To Pay

Invoice total: 300.00
Total to pay: 300

Patient's credit status

Current balance: 0.00 Credit limit: 0.00 Available credit: 0.00

Payment details

Select the payment type:

Amount paid by credit: <input type="text"/>	0.00
Amount paid by patient: <input type="text"/>	300.00
Total payment: <input type="text"/>	300
Amount given: <input type="text"/>	500
Change to give back: <input type="text"/>	200

Finalise Export batch: 0 Status: nw Print receipt OK & Next Delete OK


If you have setup other payment types in the preferences (see [16.10. Options \(standard reasons\)](#)) then you can select the type of payment being made in the **Payment type** drop down list.

Please note: You cannot overpay a prescription. If you edit the **Amount given** field to be more than the **Total payment** amount the **Amount given** field will be reduced to the *Total payment **amount and the Change to give back will be increased by the difference.** **4. Click OK to finalise the prescription and payment and close the window (if a payment is entered the prescription will be automatically finalised, you have no choice). If the Print receipt checkbox is checked then a payment receipt will print at this point.**



Once you click OK, the prescription and payment are finalised and can no longer be edited. Check carefully before pressing OK!

===== Paying with credit ===== Patients can be given a credit limit (see 10.03. Patients) and can use some or all of that credit at any time to pay off some or all of a prescription. Patient credits (see below) and cash paid into the cash register by a patient will add to the amount of credit a patient can use. The process of using credit in a payment is exactly the same as the payment process described above, the only difference is that, if the patient has some credit available, mSupply will automatically use as much as it can to pay for the patient's prescription. You can see the amount of credit the patient has available (made up of their credit limit, patient credits and cash they have paid in) in the Patient's credit status **section and the amount of credit used to pay for the prescription in the Amount paid by credit field:**



In this example, the patient has 100 credit available (made up of their credit limit only, which is 100) and all of that credit has been used to pay the prescription charge. If you or the patient does not wish to use their credit, or wishes to reduce the amount of their credit used to pay the prescription, simply change the amount of credit used in the **Amount paid by credit field and press the Tab key on the keyboard so that mSupply re-calculates the amount to be paid by the patient.** Here is a screenshot if the patient in the example above decides to pay 250 towards their prescription and only use 50 of their credit:

The screenshot shows the 'Prescription Entry' window. In the 'Patient details' section, a new patient is being entered with the name 'Patient, Test', code 'Testp01', and a date of birth of 23/11/1974. The gender is marked as female. The 'Prescriber' field is empty. The 'Confirm date' and 'Prescription date' are both set to 04/06/2020. In the top right, the store is listed as 'AKPESSEKRO (CSR-D PUBLIC)', entered on 04/06/2020, invoice 431, and entered by 'Suseel'. The 'Items' tab is selected. In the 'Payment' tab, there is a note: 'This invoice will be automatically finalised if a payment is entered.' A 'Cheque #' field is empty, and a 'Note' field is also empty. The 'To Pay' section shows an 'Invoice total' of 300.00 and a 'Total to pay' of 300. The 'Patient's credit status' section shows a 'Current balance' of 100.00, a 'Credit limit' of 100.00, and an 'Available credit' of 100.00. The 'Payment details' section shows an 'Amount paid by credit' of 50.00, an 'Amount paid by patient' of 250.00, a 'Total payment' of 250, and an 'Amount given' of 0. A 'Change to give back' field is also present. At the bottom, there are buttons for 'Finalise', 'Export batch: 0', 'Status: on', 'Print receipt', and 'OK'.

===== Patient credits ===== You can allocate funds in a patient's favour by giving them a Patient Credit. You might need to do this if, for example, a patient returns faulty medicines they already paid for. Creating a patient credit increases the amount of credit a patient has. Patient credit can be used to pay for future prescriptions. ===== View patient credits
===== To view already created patient credits, choose Patient > Show prescriptions in the menus or click on the show prescriptions icon on the Patients tab of the Navigator:




In the filter window that appears, select the appropriate filter options and click on the Find button to show the prescriptions that match the filters (just click on the Find button without changing anything if you want to see the default 15 most recent prescriptions):


Transactions list											
Types	Store name	Name	Type	St...	Entered	Confirmed	Innum	Total	Their ref	Pickslip pri...	Comme
Patient prescriptions	Général, Patient	cc	cn	21/05/2020	21/05/2020	443	-441				
Supplier invoices	Patient, Test	ci	fm	18/05/2020	18/05/2020	442	58				
Inventory adjustments	Général, Patient	ci	fm	07/05/2020	07/05/2020	437	29				
Supplier credits	Général, Patient	ci	fm	07/05/2020	07/05/2020	436	29		07/05/2020		
Customer credits	Général, Patient	ci	fm	02/05/2020	02/05/2020	435	58			Offset for a...tr	
Builds	DISTRIC...OUKRD	ci	fm	01/05/2020	01/05/2020	433	20000			Offset for a...tr	
Repacks	Général, Patient	ci	fm	01/05/2020	01/05/2020	432	58		01/05/2020		
Find...	Général, Patient	ci	fm	01/05/2020	01/05/2020	431	87				
By date	Général, Patient	ci	cn	01/05/2020	01/05/2020	430	0				
By status	DISTRIC...OUKRD	cc	fm	01/05/2020	01/05/2020	429	-20000			Offset for a...tr	
My transactions	Général, Patient	cc	fm	01/05/2020	01/05/2020	427	-100			Offset for a...tr	
My custom filters											

Patient credits have **cc** (for “customer credit”) in the Type column, prescriptions have a type of **ci**. If you only wish to see patient credits then click on the Customer credits item on the left hand side.

==== Create patient credits ==== To create a new patient credit: 1. In the menus, choose Patient > New patient credit...:




2. Enter the patient in the Name field just as you would for a prescription. You can also enter other details such as a Reference (e.g. the prescription number this patient credit is related to) and a Note explaining why a patient credit is being issued. 3. Click the History button to view the items previously dispensed to this patient:



The screenshot shows the 'Patient credit' window. At the top, patient details are entered: Name (Sarandi, Artigas), Date of birth (01/02/1986), Female, and Store (General). The prescription date is 01/11/2019. The 'History' button is highlighted with a red box. The main area shows a table of prescription items with columns for Line, Location, Item Name, Quan, Pac..., Batch, Exp date, Sell Price, and Price exten. Below the table, a summary section shows Item: (empty), Amount: 0.00, Date (empty), Notes (empty), Subtotal: 0.00, 0 % tax: 0.00, and Total: 0.00. At the bottom, there are buttons for Finalise, Export batch: 0, Status: nw, Print receipt, OK & Next, Delete, OK, and Cancel.

4. Select the item(s) to be returned from the patient's dispensing history, then click Add to credit.

Multiple items may be added at once:



The screenshot shows the 'History for Sarandi, Artigas' window. It displays a list of prescriptions with columns for Date, Number, Prescriber, Item, Quantity, and Directions. The 'Add to credit' button is highlighted with a red box. The table data is as follows:

Date	Number	Prescriber	Item	Quantity	Directions
01/11/2019	24	CAR	Amoxicillin 250mg tab/cap	1	
01/11/2019	19	CAR	Amoxicillin 500mg tab/cap	1	
01/11/2019	20	CAR	Amoxicillin 500mg tab/cap	1	
01/11/2019	21	CAR	Amoxicillin 500mg tab/cap	1	
01/11/2019	23	CAR	Amoxicillin 500mg tab/cap	1	
01/11/2019	24	CAR	Amoxicillin 500mg tab/cap	2	

5. Review the patient credit. Note that the price appears as a *negative* value in the patient credit window since it is a credit to the patient, not a charge.

The screenshot shows the 'Patient credit' window in mSupply. The patient details are: Name: Sarandi, Artigas, Date of birth: 01/02/1986, Female, Address: (empty), Store: General, Entered: 01/11/2019, Invoice: 22, Entered by user 1 (pass= user1). The prescription details are: Prescriber: Carretas, Julieta, Code: CAR, Confirm date: 00/00/00, Prescription date: 01/11/2019. The prescription table shows one item: Amoxicillin 500mg tab/cap, Quan: 1, Pac...: 100, Batch: YRT445, Exp date: 31/01/2019, Sell Price: 100.00, Price exten: -\$100.00. The notes section shows a note: 'Patient returning expired item dispensed in error'. The bottom buttons include: New line, Delete line(s), History, Reference, Category, None, Note, OK & Next, Delete, OK, and a checkbox for Finalise (which is checked). The subtotal, 0% tax, and total are all -\$100.00.

You can also add items *not* linked to a patient's history by clicking the **New line** button and entering item details just like you would for a prescription.



If you *only* want to allow users to issue patient credits for items linked to a patient's history, turn on the **Limit patient credits to previously prescribed items** preference in the *Invoices 2* tab of **File > Preferences** (see [Invoices 2 Preferences](#)). This will disable the **New line** button, and all items must be selected from the **History** button.

6. Once you are sure the patient credit is correct, check the **Finalise** box and click **OK**.



Remember you have also just returned items to your mSupply inventory! If you are going to destroy returned items, you now need to remove them from your mSupply inventory in a separate transaction (either a [Reduce stock Inventory Adjustment](#) or a [Stocktake](#)).

When the patient pays for their next prescription, their credit will be *automatically* applied in the Payment window. In this example, the patient's current prescription is \$300 but they had a \$100 credit which is automatically applied to the invoice. Now, they only need to pay \$200.

Prescription Entry

Patient details

Name: Patient, Test Date of birth: 23/11/1974 Female

Code: Testp01 Address:

Prescriber: Confirm date: 04/06/2020

Prescription date: 04/06/2020

Store: AKPESSEKRO (CSR-D PUBLIC) Entered: 04/06/2020

Invoice: 431 Entered by: Susan

Items: Payment

Other details

This invoice will be automatically finalised if a payment is entered.

Cheque #: Note:

To Pay

Invoice total: 300.00 Total to pay: 300

Patient's credit status

Current balance	100.00	Credit limit	100.00	Available credit	100.00
-----------------	--------	--------------	--------	------------------	--------

Payment details

Select the payment type

Amount paid by credit	100.00
Amount paid by patient	200.00
Total payment	200

Amount given: 0 Change to give back:

Finalise Export batch: 0 Status: on Print receipt

OK & Next Delete OK

===== Cancellations for prescription payments ===== When a prescription is cancelled, any payment made against it is not automatically cancelled because the patient might give you the goods back but not receive a cash refund. However, a patient credit is automatically created equal to the amount of the payment and assigned to the patient. This means the patient is refunded in credit, not cash. If you really wish to refund cash to the patient, you need to find the patient credit created for them, cancel it and then go to the [cash register](#) and enter a cash out transaction for the patient. This will appear as a "ps" type transaction in the register. It is a good idea to have a separate [Option \(16.10. Options \(standard reasons\)\)](#) for this type of cash out payment to allow you to report on them separately from other types of cash out transactions.

| Previous: [11.02. Receiving payment from customers](#) | | Next: [11.04. Cash register](#) |

From:
<https://docs.msupply.org.nz/> - mSupply documentation wiki



Permanent link:
https://docs.msupply.org.nz/payments_and_receipts:prescription_payments?rev=1591886795

Last update: **2020/06/11 14:46**