

Updated: Version 4.02

NeedsUpdate

6.04. Ordering from one store to another

If you run mSupply using [virtual stores](#) then you can place an order for goods with another store within mSupply.

There are two ways you can do this:

- Create [Purchase Orders](#).
- In versions of mSupply newer than v4.01, [Internal Orders](#) are the desktop equivalent of [supplier requisitions](#) in mSupply mobile. If you're already using purchase orders and goods received records in your workflow, this is a simpler and easier way to place orders in another store:
 1. In the requesting store:
 1. Create an Internal Order to the supplying store.
 2. When the internal order is finalised, a response requisition is automatically created in the supplying store
 2. In the supplying store:
 1. One or more customer invoices can be created from a single response requisition
 2. When each customer invoice is finalised, a supplier invoice is automatically created in the requesting store

Internal Orders


Internal Orders are also known as supplier requisitions or request requisitions.

Entering an internal order

To begin the process, choose *Supplier > Show internal orders* or click on the *Internal orders* icon on the *Suppliers* tab of the Navigator:



The following window will open, showing you a list of all historic internal orders. Click on the *Show* drop down list to filter the list by the status of the internal orders.



Either double-click on an existing order to edit it, or click the **New internal order** button to create a new one.

If you have activated **programs** in mSupply see the *Programs* heading below

The example below has a few lines already entered:

Edit internal order

Name: <input type="text" value="Central Medical Stores"/>	CMS	Reference: <input type="text" value="ref"/>	Black <input type="checkbox"/>	ID: 13852
Order date: <input type="text" value="18/10/18"/>		Comment: <input type="text" value="regular order"/>		Status: sg
		Max MOS: <input type="text" value="3"/>		Type: request
		Threshold MOS: <input type="text" value="0"/>	<input type="checkbox" value="Hide stock over threshold"/>	Entry date: 18/10/18
<input type="button" value="New line"/>	<input type="button" value="Add from master list"/>	<input type="button" value="Delete line(s)"/>	<input type="button" value="Filter items"/>	<input type="button" value="Print"/>
Entered by: Admin Store: OD Test Store				

Data entry Log

Line	Item code	Item name	Unit	Our stock on hand	Average monthly consump...	Months of stock	Calculated quantity	User requested quantity	Comment
1	NF0071	Amoxycillin 250mg tabs	ea	43,962	17,651	1	8,993	9,000	
2	NF0082	Paracetamol 500mg tabs	ea	27,328	9,389	2	841	1,000	
3	NF0060	Doxycycline 100mg tab	ea	1,200	309	3	0	100	
4	NF0100	Bandage 15cm x 5m	ea	375	117	3	0	50	
5	NF0080	Rabies vaccine	ea	32	8	3	0	0	
6	NF0090	Vitamin A 100,000 I.U. caps	ea	14	0	28	0	0	
7	NF0010	ORS sachet (1 litre)	ea	5,740	1,124	5	0	500	

- The **Name** will default to the supplying store for the current store, but any other store in the data file can be selected in the usual way (i.e. enter the first few characters and hit the *Tab* key to find matches).
- The **Order date** defaults to the current date. You can change it.
- Use either the **New line** button to manually add a single item, or **Add from master list** to add any items in the current store's master list which are not there already.
 - If adding from a master list, the cursor will go into the first new item's *User requested quantity* cell.
 - If adding a single item, the cursor will go into the *User requested quantity* cell for that item.

Add item...

Item: <input type="text" value="Search item"/>
User requested: <input type="text" value="0"/>
Comment: <input type="text"/>
<input type="button" value="Cancel"/> <input type="button" value="OK & Next"/> <input type="button" value="OK"/>



- For each item,
 - mSupply already knows *Our stock on hand*

- mSupply calculates the *Average monthly consumption* based on what the store has issued over the last 12 months (or less if the store hasn't been operating that long).
- mSupply calculates the *Months of stock* from *Our current stock on hand* and the *Average monthly consumption*, assuming that continues.
- The *Calculated quantity* is then worked out by multiplying the *Average monthly consumption* by the *Max MOS* (maximum months of stock), and then subtracting *Our stock on hand*. If the resulting value is negative, a value of will be displayed.



- The *Max MOS* is critical to this calculation, and you can change it.
 - There is an industry rule of thumb that the *Max MOS* should be set to **3 times** the ordering cycle.
 - The default *Max MOS* is **3.0**, which is based on a monthly ordering cycle.
 - If, for example the ordering cycle was every two months, then *Max MOS* should be set to $3 \times 2 = 6.0$.

- Hitting the *Tab* key will move the cursor into the *Comment* cell and, if there's another line below, hitting *Tab* again will move the cursor into the next *User requested quantity* cell.
- If necessary, use the **Delete line(s)** button to remove selected item lines.

Edit internal order

Name	Central Medical Stores	CMS	Reference	ref	Black	ID : 13852			
Order date	18/10/18	Comment	regular order	Status : sg					
		Max MOS	4	Type : request					
		Threshold MOS	4	Entry date : 18/10/18					
		Hide stock over threshold		Entered by : Admin					
<input type="button" value="New line"/>	<input type="button" value="Add from master list"/>	<input type="button" value="Delete line(s)"/>	<input type="button" value="Filter items"/>	<input type="button" value="Print"/>	Store: CID Test Store				
Data entry Log									
Line	Item code	Item name	Unit	Our stock on hand	Average monthly consumption	Months of stock	Calculated quantity	User requested quantity	Comment
1	NC0071	Amoxycillin 250mg tabs	ea	43,962	17,651	2	26,645	26,645	
2	NC0082	Paracetamol 500mg tabs	ea	27,328	9,389	2	10,230	10,230	
3	NF0060	Doxycycline 100mg tab	ea	1,200	309	3	37	37	
4	NF0100	Bandage 15cm x 5m	ea	375	117	3	96	96	
5	ND0080	Rabies vaccine	ea	32	8	3	0	0	

If the order has a lot of item lines, you can filter them by typing into the *Filter items* field, which will change to display the number of visible items out of the total number in the order:

1 Edit internal order

Name: Central Medical Stores	CMS:	Reference: ref	Black	ID: 13852					
Order date: 18/10/18	Comment: regular order	Max MOS: 3	Hide stock over threshold: <input type="checkbox"/>	Status: sg					
			Threshold MOS: 0	Type: request					
New line	Add from master list	Delete line(s)	Filter items: <input type="text" value="Ind"/>	Print					
Data entry Log									
Line	Item code	Item name	Unit	Our stock on hand	Average monthly consumption	Months of stock	Calculated quantity	User requested quantity	Comment
1	NC0071	Amoxycillin 250mg tabs	ea	43,962	17,651	2	8,983	9,000	
2	NC0082	Paracetamol 500mg tabs	ea	27,328	9,389	2	841	1,000	
7	NC0010	ORS sachet (1 litre)	ea	5,740	1,124	5	0	500	
Save Sort order <input type="checkbox"/> Finalise <input type="button" value="Cancel"/> <input type="button" value="OK & Next"/> <input type="button" value="OK"/>									

Note that, while a filter is active, some of the other buttons are disabled e.g. you can't save the sort order unless all lines are visible.

You can also filter item lines which have a lot of stock (and therefore don't need to be ordered) by entering a value in the *Threshold MOS* field. This will automatically tick the *Hide stock over threshold* checkbox, and hide any lines which have their *Months of stock* greater than or equal to *Threshold MOS*.

Last update: 2021/04/28 purchasing:ordering_from_one_store_to_another https://docs.msupply.org.nz/purchasing:ordering_from_one_store_to_another?rev=1619601742 09:22

Edit internal order

Name: Central Medical Stores	CMS	Reference: ref	Black	ID: 13852					
Order date: 18/10/18	Comment: regular order	Max MOS: 5	Type: request	Status: in					
<input type="button" value="New line"/>	<input type="button" value="Add from master list"/>	<input type="button" value="Delete line(s)"/>	Threshold MOS: 4	<input type="checkbox"/> Hide stock over threshold					
<input type="button" value="Print"/>									
Entered by: Admin Store: OD Test Store									
Data entry Log									
Li...	Item code	Item name	Unit	Our stock on hand	Average monthly consumption	Months of stock	Calculated quantity	User requested quantity	Comment
1	NC0071	Amoxycillin 250mg tabs	ea	43,962	17,631	2	11,993	8,993	
2	NC0082	Paracetamol 500mg tabs	ea	27,328	9,389	2	841	841	
3	NF0060	Doxycycline 100mg tab	ea	1,200	309	3	0	0	
4	NF0100	Bandage 15cm x 5m	ea	375	117	3	0	0	
5	ND0080	Rabies vaccine	ea	32	8	3	0	0	

Finalise

Once you are satisfied, tick the *Finalise* checkbox. This will prevent further editing, and automatically delete any lines which have a requested quantity of zero.

Edit internal order

Name: Central Medical Stores	CMS	Reference: ref	Black	ID: 13852					
Order date: 18/10/18	Comment: regular order	Max MOS: 5	Type: request	Status: in					
<input type="button" value="New line"/>	<input type="button" value="Add from master list"/>	<input type="button" value="Delete line(s)"/>	Threshold MOS: 4	<input type="checkbox"/> Hide stock over threshold					
<input type="button" value="Print"/>									
Entered by: Admin Store: OD Test Store									
Data entry Log									
Li...	Item code	Item name	Unit	Our stock on hand	Average monthly consumption	Months of stock	Calculated quantity	User requested quantity	Comment
1	NC0071	Amoxycillin 250mg tabs	ea	43,962	17,631	2	26,645	26,645	
2	NC0082	Paracetamol 500mg tabs	ea	27,328	9,389	2	10,230	10,230	
3	NF0060	Doxycycline 100mg tab	ea	1,200	309	3	37	37	
4	NF0100	Bandage 15cm x 5m	ea	375	117	3	96	96	


Finalise

When the order is then saved, it will automatically generate a corresponding [response requisition](#) in the supplying store. From there, one or more customer invoices can be raised in the supplying store which, when finalised, appear as supplier invoices back in the requesting store in the same way as regular [stock transfers](#).

Programs

See the [4.05. Programs](#) page for information on setting up programs.

Using programs activates a comprehensive system for managing orders and supplies by program. When you click on the **New internal order button**, before the order window opens, another window appears to allow you to select the program and period etc. that the order belongs to:



- **Order type:** Selecting *General* will create a standard, non-program based requisition and none of the Order details section fields will apply. Selecting *Program* will create a program based requisition and you must fill in the details in the **Order details** section.
- **Order details section**
 - **Program:** The program this requisition belongs to. Select one of the programs you have defined and assigned to this store.
 - **Requisition type:** Select one of the types of order you have defined for this program. Normal orders will follow the quantification rules and be limited in the number of orders per period. Emergency orders will not follow quantification rules and will not be limited in the numbers of orders per period but will typically be limited in the numbers of lines that can be entered on them.
 - **Supplier:** The supplying store for this store will be selected by default. Other stores can be selected if required.
 - **Period:** The period this requisition is for. Will contain a list of all the periods which are still available for you to enter a requisition for i.e. those for which you have not already entered the maximum number of requisitions.

When you click on the **OK** button on this window, the requisition is created for you. The items defined for the program are automatically added to it and the suggested order quantity is calculated for you following the quantification rules.

Note that items belonging to the program will only be added to the order if they are also visible in the supplying store. This is to avoid the situation where you request an item that they don't have visible to them and therefore can never have any stock to supply!

Purchase orders

- This method of ordering stock from another mSupply store is deprecated: Internal Orders (above) is the way to do it.
- Purchase orders are used for [Ordering stock from suppliers](#) outside of mSupply

Using a purchase order to order from another store


For the most part, the process is the same as for [creating a normal purchase order](#). There are, however, a few significant differences:

- In the *Name* field of the purchase order, enter the name of the store which will supply your goods.




The names of suppliers which are stores will appear in *RED* in the choice list of suppliers. If the name of the store you select as a supplier is *BLACK*, then you have not chosen another store as a supplier (you will be creating a standard purchase order not an internal requisition), and the instructions in the remainder of this section do not apply.

- The *Internal requisition* label will appear after the name to indicate that this is going to be an internal requisition.



Enter the purchase order lines as normal and when you're finished, confirm the purchase order (at this point you may be prompted to enter budget and/or category information, depending on your preferences):



Once confirmed, it will no longer be possible to:

- modify the purchase order lines, except for updating the expected date of delivery (EDD).
- delete the purchase order or any of its lines (mSupply will give you a warning if you try).

Processing the order (supplying store)

For versions of mSupply newer than v4.01, confirming the purchase order will create a [response requisition](#) in the supplying store (with your store's name in the *Name* field). This allows the supplying store to create multiple customer invoices to supply the order (and hence to better handle partially fulfilled orders). Once each customer invoice has been **finalised**, a goods received note for the purchase order will be created back in the store where you created the purchase order which started this whole process off (called the customer or receiving store).

Handling partially fulfilled orders

If you have unfilled lines on the customer invoice (i.e. red placeholder lines), when you finalise the customer invoice you will be asked if you want to create a new invoice with the unfilled lines. This new invoice retains the link to the purchase order that created the original customer invoice, and can be used to issue further goods to the customer.

Note that you can also create another invoice that is linked to the original purchase order at any time by using the "[Duplicate](#)" button on the toolbar of the customer invoice list.

Receiving the goods (requesting store)

Now, back in your store, where you created the purchase order which started this whole process off, you can view the goods received record via the **Suppliers** tab on the Navigator or via the **File > Supplier > Show goods received** menu item (or via the **File > Supplier > Show purchase orders > Goods received** tab)

Edit Purchase order...

Order num : 424	Name: Virtual store 2	VIR2	Internal requisition	Black
Confirm date: 18/04/2011	Requested delivery: 18/04/2011	Status: cn Store: General		
<input type="button" value="General"/> <input type="button" value="Details"/> <input type="button" value="Ad Hoc items"/> <input type="button" value="Goods Received"/> <input type="button" value="Supplier Invoices"/> <input type="button" value="Log"/> <input type="button" value="Location"/>				

Goods received ID	Status	Supplier reference	Entry date	Receive date
865 sg	PO number: 424		18/04/2011	18/04/2011

Edit goods receive...

Supplier: Virtual store 2	Store: General
Received date: 18/04/11	Purchase order: 424
Supplier reference: PO number:	Created by: Sussol
	Modified by:
	Entry date: 18/04/11
	Status: sg
<input type="button" value="Add from purchase order"/> <input type="button" value="Add an un-ordered item"/> <input type="button" value="Delete line"/> <input type="button" value="Check space"/> <input type="button" value="Print goods receipt"/>	

Line	Location	Item name	Batch	Exp date	Pack Size	Quan
1	MAN	Formaldehyde solution 20% 5L	SV380		1	150
2		Efavirenz tablet 600mg	ABC1234	01/01/2012	1	20
<input type="checkbox"/> Finalize <input type="button" value="OK & Next"/> <input type="button" value="Delete"/> <input type="button" value="OK"/>						

Notice that on the goods received note the lines from the customer invoice will have been filled in automatically. Process the goods received note in the [normal way](#) and note that, as with all other goods received, the goods are not added to your store's stock and available for issue until the goods received note has been finalised and the resulting supplier invoice confirmed. Note that, from mSupply v3.85, the original purchase order lines will only be updated with the stock received when the goods received note has been finalised.

[Previous: 6.03. Purchase order categories](#) | | [Next: 6.05. Ordering from multiple stores](#)

From:
<https://docs.msupply.org.nz/> - **mSupply documentation wiki**

Permanent link:
https://docs.msupply.org.nz/purchasing:ordering_from_one_store_to_another?rev=1619601742

Last update: **2021/04/28 09:22**

