## 28.03. Sync Site Import

Having exported an XML of your data, you can then import the data into a new datafile.

## Access

To import data, you must:

- Be using a single-user version of mSupply you can't create a new datafile from an mSupply client.
- Have an XML file to import to create one, refer to 29.04. Sync Site Export.
- Create a new datafile refer to Creating a new data file. You don't need to actually log in.
- This datafile must have the same name as the XML file you would like to import, so if it doesn't already have the name that you want, you will need to rename the XML file first.


## Importing a datafile

When you open mSupply with the new datafile created above, you will see an **Import data** button on the bottom left. DON'T LOG IN!

Login
2. Enter your password for user 1 (pass= user1)
Password
]
3. Choose store if available
General
4. Check any messages
Using data file Macintosh
HD:Users:dhanya:Desktop:newDataFile.4dd
5. Click the OK button to proceed
Quit OK
]

Click the **Import data** button. This will display a open/save window where you can choose the file you want to import.


Choose the XML file you created in the sync site export, and click **OK** to confirm the import. If the XML file has the same name as your datafile, you will then see a progress bar appear.



Once the import is completed, you will see an alert pop up telling you it has completed.



mSupply needs to reopen for you to use the new datafile. mSupply will alert you that it will be closing, and automatically close. You can then reopen and start using your new datafile.



If the data file you exported had a sync site created for the store, the import will automatically populate your sync settings in the Preference window.

Ceneral Misc		Use js node HTT	P client 🖼
Purchase order defaults	Click to un-lock		Check connection
Purchase order 2			
Invoices 1	Synchronize parameters		
Invoices 2	Sync ID 3	Sync time interval	
Item		Sync request size 20	
Price		agine respects these is a	
Quotes	Sync with		
Reports	Sync ID User name	URL.	(+)
Names	1		
Tender			
Reminders Patient Medication			
Drug Interactions			
Registration			
Printing			
OK and print			
Logo			
Dispensary mode			
HIS	R		
Log	Clear database		
Backup			
Backup 2			
Email			
Server			
Synchronise Customization			
Customization			Cancel OK
E.			

At least two things will need to be done for sync to start working:

- The sync site Name and Password will need to be entered
- The datafile will need to be registered

Both of these require Sustainable Solutions' technical assistance.

Previous: 29.04. Sync Site Export | | Next: 31. Client specific pages

From: https://docs.msupply.org.nz/ - mSupply documentation wiki
Permanent link: https://docs.msupply.org.nz/synchronisation:site\_import?rev=1621919282
Last update: 2021/05/25 05:08

https://docs.msupply.org.nz/