

Item

[Back to list of main tables](#)



- The item table stores one record for each item you supply.
- Stock on hand of an item is **not** stored here - look in the “item_line” table

| Field name | Description | Type | Indexed |
|-----------------------|--|------------------------|---------|
| ABC_category | | Alpha 20 | |
| account_income_ID | The ID of the account used when selling this item (not used unless linking to accounting software) | UUID | |
| account_purchases_ID | The ID of the account used when buying this item (not used unless linking to accounting software) | UUID | |
| account_stock_ID | The ID of the account used when holding stock (and asset) for this item (not used unless linking to accounting software) | UUID | |
| atc_category | A WHO Anatomical/Thereapeutic classification | Alpha 30 | |
| builds_only | Only issue this item on builds | Boolean | |
| buy_price | The notional buy price of the item in your home currency | Real | |
| catalogue_code | A secondary code for the item- you can optionally include this code when searching for items | Alpha 20 | * |
| category_ID | The ID of the category assigned to this item | UUID | * |
| category2_ID | | UUID | |
| category3_ID | | UUID | |
| code | The item code | Alpha 60 | * |
| critical stock | | Boolean | |
| cross_ref_item_ID | | UUID | |
| ddd factor | | Real | |
| ddd_value | The defined daily dose for the item | Alpha 8 | |
| default_pack_size | The size used for comparing quotes | Real | |
| (default_price) | Not an item field: Is set per-store, so is a field in item_store_join table | Real | |
| department_ID | The key of the department this item belongs to (internal) | UUID | * |
| description | Long description of the item | Text | |
| dose_picture | Stores the image for patient medication | Blob | |
| essential_drug_list | True if the item is on your essential drug list | Boolean | |
| expiry_date_mandatory | If true, you will have to enter an expiry date when receiving this item on a goods receipt or supplier invoice | Boolean | |
| flags | Used for quickly marking items for reporting purposes | Alpha 16 ¹⁾ | * |
| hold_for_issue | If true, this item can not be added to customer invoices | Boolean | |

| Field name | Description | Type | Indexed |
|---------------------------|---|----------|---------|
| hold_for_receive | If true, this item can not be received on supplier invoices | Boolean | |
| ID | Internal reference | UUID | * |
| ignore_for_orders | If true, this item will never be added to an order automatically | Boolean | |
| indic_price | | Real | |
| instructions | | Text | |
| interaction_group_ID | | UUID | * |
| internal_analysis | | Real | |
| is_sync | | Boolean | |
| item_name | The name of the item | Alpha 80 | * |
| item_type | "gn" = general, "sv" = service, "cr" = cross reference | Alpha 3 | |
| manufacture_method | | Text | |
| margin | The default margin for this item | Real | |
| medication_purpose | | Text | |
| message | Text that will be displayed in a window when this item is issued or received | Text | |
| non_stock | True means that the item is immediately supplied to a particular customer on receipt. | Boolean | |
| non_stock_name_ID | The ID of the customer (name) the item is to be supplied to | UUID | |
| normal_stock | | Boolean | |
| other_names | Used to record alternative names of the same item- can include brand names | Text | * |
| outer_pack_size | | Long | |
| pack_to_one_on_recieve | | Boolean | |
| price_editable | Can the price be edited at issue time? | Boolean | |
| print_units_in_dis_labels | | Boolean | |
| reference_bom_quantity | The quantity that the entered bill of materials will produce | Long | |
| sms_code | The code that the SMS sender uses to identify the item | Alpha 20 | |
| sms_pack_size | When an SMS user orders, this is the pack size they are referring to | Real | * |
| start_of_year_date | | Date | |
| strength | Used if reports need the strength separate to the item name [from version 4.04] | Real | |
| strenghtUnits | If strength is specified, this is the units (e.g. "mg") [from version 4.04] | Text | |
| unit_ID | The internal key of the units for this item | UUID | * |
| user_field_1 | for customised use by user. Labels for user fields can be set in the preferences | Alpha 30 | |
| user_field_2 | for customised use by user | Alpha 30 | |
| user_field_3 | for customised use by user | Alpha 30 | |
| user_field_4 | for customised use by user | Boolean | |
| user_field_5 | for customised use by user | Real | |
| user_field_6 | for customised use by user | Alpha 80 | |
| user_field_7 | for customised use by user | Boolean | * |

| Field name | Description | Type | Indexed |
|-----------------------|---|------|---------|
| VEN_category | for customised use by user | Text | |
| volume_per_outer_pack | | Real | |
| volume_per_pack | volume in m3 for one reference pack | Real | |
| warning_quantity | attempts to issue greater than this quantity will give the user an alert to stop accidental issuing of large quantities | Long | |
| weight | the weight in kg of one reference pack | Real | |

1)

Increased from 8 in v3.13

From:

<https://docs.msupply.org.nz/> - mSupply documentation wiki

Permanent link:

https://docs.msupply.org.nz/tables_fields:main_tables:item?rev=1650595307Last update: **2022/04/22 02:41**