# 18.06. Mobile Dashboard set up (after v4.0)



August 2020: The instructions on this page are for configuring mSupply's legacy web dashboard and mSupply Mobile dashboards. mSupply's legacy web dashboard has been superseded by the mSupply Grafana web dashboard.



The following instruction are for setting up dashboards for mSupply versions 4.0 and later. For mSupply versions earlier than v4.0, the dashboard setup is accessed and configured via the mSupply Preferences menu, refer to Dashboard set up (prior to mSupply v4.0).

#### Before you set the dashboard up you must:



- know what ports are already in use on the server
- have an appropriate SSL Certificate set up.
- make sure your webserver is currently running.


Sustainable Solutions can help with these.

### **Configure the dashboards**

1. On the **Admin** tab of the Navigator click on the **Dashboard** button:



2. This will show you a list of the available dashboard reports:



3. Tick the box in the **Is active** column for each report that you want generated. Note that if one or more reports are selected, the scheduled process for generating and refreshing the

- dashboard reports is automatically started, there is no separate setting for turning it on and off. Similarly, if no reports are selected the dashboard report generating process will be turned off automatically.
- 4. Set the number of minutes in the **Update Period (mins)** column to set how often each of these reports is generated. 1440 is one full day.

### **Available dashboard reports**

There are several built-in dashboard reports that everyone can use. The table below documents what they show and what properties can be edited:



If you would like help with adding one of these reports to your list, contact Sustainable Solutions on <a href="mailto:support@msupply.org.nz">support@msupply.org.nz</a>

Report	Method	Format	mat Parameters			
Expiring			monthsToInclude	befoi repo	if this para	hat the (defaults
items for Store Shows	dashboardReportExpiringItemList [		storeCode	search for a single store matching this code		
a list of items, for a given store, which will		Table, Bar	dataElement	Looks for the dataElement in the aggregator table. If blank, will default to AMC		
expire within a specified number of		chart	customisation	allows for a client customisation: currently supports MAM.		
months. v4.01			ven_category	V, E, N or E, N or V, Eeto will filter for the respectiv VEN values. If blank, no filtering by VEN value		e respective blank, no
			chartType		table. If ult to tab	blank, will le
Report		Metho	d		Format	Parameter s

Report	Method	Format	Paramete s	r
<b>Expiring Stock</b> Shows a graph of total value of stock expiring grouped by the number of months in which the stock will expire.	dashboard_rep_expiring_stock	Bar chart	None	

Report	Method		Fo	ormat		Parameters										
Items issued this month Shows a list of items, per store, which were issued in the last 30 days. Uses	dashboard_itemRow_storeCol_usa			able	store_tag	Identifies stores to display. Multiple stor can be selected by separating them by comma or space e.g. "bacau,CHC" or "bacau,CHC"										
store tag and master list to select items to be													master_list	Show items wl included in thi list		
displayed.					INDIANA I	Number of day current date to		- 1								
Report	Method		Form	at	P	arameters										
				cou	ıntry	Name of cour compulsory b shown	-									
				iter	n_code	the code of the item to display										
Map stock on hand Shows a				lat_	_nw_corner	the latitude of the North- West corner of the map		- 1								
map of the area specified, with an "X" if the facility is out of stock of the	dashboard_map_stock_o	n_hand	Мар	lon	g_nw_corner	the longitude of the North-West corner of the map		ne								
item, or a dot representing the				lat_	se_corner	the latitude of the South- East corner of the map										
amount of stock on hand.				lon	g_se_corner	the longitude of the South-East corner of the map										
				sto	re_tags	A comma separated list of tags - or omit this parameter if you want t show stock for all stores		to								
Report	Method				Format	Paramet rs	te									
Monthly transact of the number of pureceipts, supplier a created this month	dashboard_rep_month_transacs			Bar or Line chart	None											

Report		Method	Format		Parame	eters
				store	e_code	code or codes of stores to show. to specify multiple stores enter multiple store_code params (append @ for a "starts with" search)
Stock_for_category1_stores_by_ Shows a table of items in rows and columns, with the stock on hand for item in that store in each cell.	stores in		Table	mast	er_list	VHP - All Items Will search for items that are part of the master list: "VHP - All Items"
				item	_code	items whose code matches this code (append @ for a "starts with" search)
				Cate	gory1_descrip	private Will search for names whose name category 1 is "private"
Report	Metho	od Fo	rmat		Parar	neters
Store Transaction Count Shows a count of each store's transactions for the past 7 and 30 days	dashb	nara ren colint store trans	ne or B art	ar	store_tags s	natches tores with his tag
Report	1	Method	For	mat	Paramete	rs
Sync sites last connection	date	dashboard_report_last_sync_da	te Tab	le	None	
Report		Method	F	orm	nat Parame	eters
Sync sites sent and receiv	ed sta	ntistics dashboard_report_sync	_stat T	able	e None	

customer.

Report	Method		Format	nat Parameters						
				storeTa	g	v t	vill sele ags ma {store	ect st atch eTag	) - report cores wher } and lote_site >	
			syncDa	yThreshold	d r		en da nc >	) - color ce lys since shold	ااذ	
				unfinali	sedSIThres	r shold u	(default = 0) - color cell red when number of unfinalised supplier invoices > unfinalisedSIThreshold			
Sync sites statistics Shows a range of statistics	dashbaards	vneSitoStatistics	table	stocktal	keDayThreshold		(default = 30) - color cell red when days since last stocktake > stocktakeDayThreshold			
related to synchronisation v4.02+	asriboarasy	shboardSyncSiteStatistics		requisit	equisitionDayThreshold			(default = 30) - color cell red when days since last requisition > requisitionDayThresholo		
				lookBackPeriod			default = 50) - Look back number of days for Supplier Invoice, Stocktake and Requisitions			
				lookBackPeriodCl			(default = 30) - Look back number of days for Customer Invoice			or
				daysWit	rhClThresh	nold c	(default = 0.2) - color cell red where 'days with customer invoice' divided by `number of working days` < daysWithCIThreshold			
Report		Method			Format		Para	met	ers	
This month's transactions Shows a bar chart of the number of purchase orders, goods receipts, supplier and customer invoices created this month.		_month_	_transacs Bar chart store		store_n	If provided the report shows details for the name given store, otherwise the default store is used				
Report			r	Method			Forn	nat	Paramete s	er
Top facilities supplied The 10 customers in your store to which you have sent the greatest value of stock. Shows the value of stock for each			est	dashboar	d_rep_top	_facilitie	s Bar c	hart		

https://docs.msupply.org.nz/ Printed on 2025/08/12 20:06


Report				М	Method						Format	Parame rs	te		
<b>Total stock value</b> A single figure in your default currency, showing the total value of the stock you have in the store you are viewing the dashboard for.				dā	dashboard_rep_total_stock_value					h2	None				
Report			Method				Forn	nat		P	aramete	ers			
Transaction Shows a tabl transactions within 30 day	e of the per stores	e	dashboard_rep_month_transac			acs	Table	Γable store_code		entering code, or	a store by a store leave bla efault sto	nk			
Report	Method			Forn	nat				Par	ame	eters				
Trends in	dachbaard	ron	in stack trands	Time	series	sto	re_id			sted	of the store you're sted in, or no value for res				
stock	uasriboaru	_rep	rep_in_stock_trends chart												
Report		Met	thod			Fo	ormat	t		Pa	rameter	'S			
transfers Sh unfinalised si transfers with specified time for each facile matches the "store_tags" parameter. If tags are pass transactions for all stores.	Unfinalised Stock transfers Shows unfinalised stock transfers within the specified time period for each facility which matches the "store_tags" parameter. If no store tags are passed in, transactions are shown				ible			er_th	Queri transi an were numb ago	ning store	ıat x'				
Report	Report Method			Form	at					rameters					
VEN items in stock Shows stock on hand of each items that belongs to the VEN (Vital, Essential, Necessary) category		.	dashboard_rep_item_ve		_ <i>ven</i> Line o chart		line or h		store_code		code	ther cho	ore code - if empty en default store is osen E,N or E,N or V,N		
		da						ven_category ite		eto	tc will filter the VEN ms. If blank all visible ms for the store are osen				

Report	Method	Format		Parameters
		Bar chart	ven_category	v or e or n if you want to include items that are Vital or Essential or Necessary
				TRUE if you want to include items with this field checked
Vital items in stock Shows a bar graph of the percentage of medicines of the chosen category in stock at each	idashnoard store stock hercenti		user_field_7	TRUE if you want to include items with this field checked Note that the labels for fields 4 and 7 may be different, as they are set up in the mSupply preferences (misc tab)
facility			critical_stock	TRUE if you want to include items with this field checked, false for all items
				entering healthcentre will only include stores with the "healthcentre" tag
Report	Method	Format		<b>Parameters</b>
			store_code	search for a single store matching this code
			lookBack_mon	how many months of data to review when calculating; defaults to 6
Item Stock on Hand and Months Cover Shows a table of item VEN status Stock on Hand, Monthly Consumption, and Months Cover			ven_category	V,E,N or E,N or V,Netc will filter the VEN items. If blank all visible items for the store are chosen. If not supplied the filter is not used; specify 'blank' to show items with empty ven. Note: each category in combination must be separated by comma, example: either v,e,n or v,e or v,n
			item_code	Searches for items matching this code
			customisation	Allows for a client customisation: currently supports MAM.

If you can't make a dashboard report that does what you want then please speak to us, it's usually a fairly simple matter for us to create one for you.

## **Editing dashboard reports**

Double-click a report in the list shown above and the following window will open:




- If there are any properties shown in the list, these can be edited to change what is displayed.
- To edit a property or value, click once to select the row, and then click again in the appropriate cell to edit it.
- To add or delete a row use the New line and Delete line(s) buttons at the top of the window.
- In the example shown in the screenshot above (a map report), the coordinates of two of the map corners and the item code of the item whose stocks will be shown on the map have been entered. Note that if you add extra properties to the default reports they'll be ignored.




August 2020: The remaining instructions on this page are for configuring mSupply's legacy web dashboard. This may still work, but is no longer supported as it has been superseded by the mSupply Grafana web dashboard. The instructions are left here for historic reference only.

### **Dashboard tabs**

You set up Dashboard tabs which will display on your dashboard. Dashboard tabs are "containers" for one or more dashboard reports. To edit them go to *File > Preferences* and click on the *Dashboard tabs* tab on the left hand side:




To add a tab click the **Add** button. To edit a tab, double-click it. You will be shown a window for editing a dashboard tab:



Now you add reports that will show on this tab.

### **Understanding rows and columns**

Take this example dashboard tab:



- The tabs themselves occupy their own space on the left of the window- they aren't considered when laying out the dashboard
- The first row has two reports- each report takes up half the row. So for the first report:
  - Row 1, Col 1, width 12 ("12" means it takes up the full width of the cell it is in- "4" would mean it would take up 1/3 of the width)
- For the report at the top right:
  - Row 1, Col 2, width 12
- For the map

- Row 2, Col 1, width 12
- The next two reports are on the same row, but are divided into 5/12 and 7/12 of the width of the window, so we put them in the same cell but change the width settings:
  - Row 3, Col 1, width 5
  - Row 3. Col 1. width 7

### Adding a report to a dashboard tab

Click **New Line** to add a new report to the tab. Then edit the values in each column

- Row: The row it will be in
- **Column:** The column within the row- set to "1" if you don't have multiple reports on this row.
- **Report tite:** The title that will show in the Orange heading bar for the report. Note that the same report can display different information depending on the parameters you set for that report- hence the need for the ability to customise report names
- Type: You'll need to know the appropriate type for the report you're displaying. The options are
  - bar chart
  - o table
  - ∘ pie chart
  - o time series
  - o map
  - line chart
- **Width:** The fraction of the cell width in "twelfths" that this report will take up ("6" will make it take up half the cell width)
- **Report:** Choose the report name from the drop-down list of available reports

#### Configure users to have access to dashboards

Once the tabs have been setup you have to choose which users will see which tabs. You do this in individual users' settings. For instructions on how to do this, see:

- Managing users > General tab > Users can: (Use the Dashboard permission)
- Managing users > Dashboard tab

Previous: 19.05. Web Dashboard | Next: 19.07. Online catalogue

#### From:

https://docs.msupply.org.nz/ - mSupply documentation wiki

Permanent link:

https://docs.msupply.org.nz/web\_interface:dashboard\_setup?rev=1619608009

Last update: 2021/04/28 11:06

