2025/11/04 22:32 1/13 19.09. mSupply REST API

# 19.09. mSupply REST API

### What is it?

mSupply has a REST API that enables certain actions to be carried out externally, by external applications for example. This API allows you to:

- Send an order (response requisition) to mSupply
- Retrieve customer invoices that have been confirmed but not yet been acknowledged or received
- Mark a customer invoice as acknowledged (shipped)
- Mark a customer invoice as received (arrived)
- Retrieve stock information

Response requisitions will be processed in mSupply as normal in the supplying store, and can be fulfilled by generating and processing one or more customer invoices, depending on stock availability.

# **Basic usage**

- Communication is over the HTTP protocol. HTTPS is supported and you should use it to keep your passwords and other information secure. If you want to restrict to only HTTPS, then block the HTTP port mSupply is using on your router.
- All data is submitted and returned as JSON.
- You must always login first. This will return a JWT token that you use in further requests to authenticate each request.

The details of the requests you can make and what information you need to send with each request are in the section below.

### **Authentication**

#### For all endpoints except /storeCustomerInvoice

Logins (user name and password) are set up per store as contacts of store names. This uses exactly the same mechanism as customer web ordering. See the 19.03. mSupply customer web interface page for details.



All requests relate to transactions, stock and orders **only** in the store that the user used to authenticate with is a contact of. The customer and supplier's details are derived from the log-in details i.e. the customer will be the store the logged in user is a contact of and the supplier will be the supplying store of that store.

#### Last update: 2025/09/10 11:28

### For the /storeCustomerInvoice endpoint

Logins are setup as normal mSupply users. A search for matching customer invoices will be made in the user's default store.

### **API** definition

See the Examples section below for payload details for each request.

All below URLs should be prefixed with `api/v4`:

IIIDI	HTTP Verb	Description
/login	POST	Login with username and password setup in mSupply. For the /storeCustomerInvoice endpoint, the username and password must be for an mSupply user. For all other endpoints the username and password must be for a contact of a store name.  Returns a JWT cookie to be used in following requests (send it in an Authorization header with scheme Bearer i.e. Authorization: Bearer <jwt_token>). Include the loginType = "invoice" element in the request body or, for the /storeCustomerInvoice endpoint, include the loginType = "storeInvoice" element.</jwt_token>
/stock	GET	Returns an array of stock details for all items in the customer's master list(s). * Quantities are specified in number of packs and pack size. * Separate lines for each different batch, expiry date or pack size.

https://docs.msupply.org.nz/ Printed on 2025/11/04 22:32

2025/11/04 22:32 3/13 19.09. mSupply REST API

URL	HTTP Verb	Description
/stock?code=xxx&name=yyy		Returns an array of stock details for all visible items, optionally restricted to those starting with the specified code/name.  * Quantities are specified in number of packs and pack size.  * Separate lines for each different batch, expiry date or pack size.

URL	HTTP Verb	Description
/customerOrder	POST	Create a new customer order with the supplied array of order lines. Returns the ID of the order created. * The customer and supplier's details are derived from the log-in details i.e. the customer will be the store the logged in user is a contact of and the supplier will be the supplying store of that store. * An order (serial) number will be automatically assigned by mSupply (unique per store). * Item codes must match the codes (the mSupply item code or the catalogue code) of items already existing in mSupply. * Requested quantities are specified in number of packs and pack size. * Customer stock on hand quantities (if available) are specified in units. * Customer orders are created as response (customer) requisitions in mSupply. These are then processed manually in the supplying store to generate one or more customer invoices to fulfil the order (see the 8.07. Stock control methods for your customers (requisitions) page for details). * Customer invoice numbers will also be automatically assigned by mSupply (unique per store). * Generated customer invoices will be linked back to the original customer order via the order number. * Customer invoices are confirmed when the stock has been picked and packed for shipment. * Comments can be entered for the order and also for individual lines.

2025/11/04 22:32 5/13 19.09. mSupply REST API

URL	HTTP Verb	Description
/customerOrder/{order number}	GET	Return the details of the specified order number.
/customerInvoice	GET	Returns an array of customer invoices which have been confirmed but not acknowledged, received or cancelled. * Invoices are linked to the original order via the order number. * Quantities are specified in number of packs and pack size. * Prices are per-pack and a line total, with an invoice total which includes any extras (e.g. shipping).
/customerInvoice/{invoice number}	GET	Returns a particular customer invoice. * Invoices are linked to the original order via the order number. * Quantities are specified in number of packs and pack size. * Prices are per-pack and a line total, with an invoice total which includes any extras (e.g. shipping).
/customerInvoiceReceived/{invoice number}	PATCH	Set the specified customer invoice's received (arrival) date to the date specified (in ISO format).
/customerInvoiceAcknowledged/{invoice number}	PATCH	Set the specified customer invoice's acknowledged (shipped) date to the date specified (in ISO format).
/storeCustomerInvoice?startDate=YYYY-MM-DD&endDate=YYYY-MM-DD	GET	Note: This endpoint has a different authentication method to the others. You must login as an mSupply user (see the Authentication section above), not a contact of a store and you must use a different loginType value. Returns all confirmed (and not cancelled) customer invoices in the default store of the user logged in with, which were confirmed between the startDate and endDate.

# **Examples**

```
HTTP
URL
                                                                                             Response
                                                                                    Verb
                                                                                             Request:
                                                                                                  "username": "Admin", "password": "Admin",
                                                                                                   "loginType": "invoice"
                                                                                             Response:
                                                                                             // success (HTTP status 200)
                                                                                                   "status": "success",
                                                                                                  "authenticated": true,
"username": "Admin",
                                                                                                  "userFirstName": "Minnie",
"userLastName": "Streator",
"userJobTitle": "Boss",
                                                                                                  "userType": "contact",
"service": "invoice",
api/v4/login
                                                                                    POST
                                                                                                   "storeName": "General Warehouse"
                                                                                             // failure (HTTP status 400)
                                                                                                  "status": "error",
"error": "Username/password/login type
                                                                                             // failure (HTTP status 401)
                                                                                                  "status": "error",
"error": "Failed to authenticate/No store
                                                                                             found for user"
                                                                                             Response:
                                                                                             // success (HTTP status 200)
                                                                                                        "itemCode": "ABC012",
"itemName": "Amoxycillin 250mg tab",
"batchName": "SD34567",
"expiryDate": "2021-05-05T12:00:00.000Z",
                                                                                                        "unit": "Tab",
"barcode": "0123456778899",
"packSize": 100,
"quantity": 23, // in packs
"costPricePerPack": 1.23, // in default
                                                                                             currency
    "sellPricePerPack": 1.33, // in default
                                                                                             currency
"storeName": "General Warehouse"
api/v4/stock
                                                                                    GET
                                                                                             // failure (HTTP status 401)
                                                                                                   "status": "error",
                                                                                                   "error": "JWT token/user ID/store ID not
                                                                                             found"
                                                                                             The stock levels will be those of the supplying store for the
                                                                                             logged in customer, with separate lines for different batches,
                                                                                             expiry dates or pack sizes. By default, the items included will be
                                                                                             those in the customer's master list(s), unless overridden by the
                                                                                             optional item name/code parameters, in which case the results
                                                                                             will be filtered by items with a name/code starting with the
                                                                                             specified value(s).
```

https://docs.msupply.org.nz/ Printed on 2025/11/04 22:32

2025/11/04 22:32 7/13 19.09. mSupply REST API

```
HTTP
URL
                                                                          Response
                                                                   Verb
                                                                          Request:
                                                                               "orderReference": "VS2345",
                                                                               "comment": "Test order",
                                                                               "lines":[
                                                                                        "itemCode": "ABC012",
"itemName": "Amoxycillin 250mg tab",
"packSize": 100,
                                                                                         "quantity": 3, // in packs
                                                                                        "SOH": 3500, // current customer
                                                                          stock on hand (in units)
"comment": "something about this
                                                                          line"
                                                                                    },
                                                                                        "itemCode": "CYZ456",
"itemName": "Paracetamol 500mg tab",
                                                                                        "packSize": 100,
                                                                                        "quantity": 5, // in packs
"comment": ""
                                                                                    },
                                                                              ]
                                                                          Response:
                                                                          // success (HTTP status 200)
                                                                               "status": "success",
                                                                               "numberOfRecordsUpdated": 1,
                                                                               "orderNumber": 23425
                                                                          // failure (HTTP status 404)
                                                                               "status": "error",
                                                                               "error": "Item code not found"
api/v4/customerOrder
                                                                   POST
                                                                          // failure (HTTP status 409)
                                                                               "status": "error",
                                                                               "error": "Duplicate line for item"
                                                                          // failure (HTTP status 403)
                                                                               "status": "error",
                                                                               "error": "Order already exists"
                                                                          // failure (HTTP status 403)
                                                                               "status": "error",
                                                                               "error": "Item is not available to order"
                                                                          // failure (HTTP status 403)
                                                                               "status": "error",
                                                                               "error": "Invalid pack size/quantity"
                                                                          // failure (HTTP status 400)
                                                                               "status": "error",
"error": "Order reference/order lines/item
                                                                          code/item name/quantity missing"
                                                                          // failure (HTTP status 401)
                                                                               "status": "error",
"error": "JWT token/user ID/store ID not
                                                                          The customer order (response requisition) will be created in the
                                                                          logged in customer's supplying store, set to confirmed with the
                                                                          current date, and the new (automatically assigned) customer
                                                                          order number returned
```

URL	HTTP Verb	Response
api/v4/customerOrder/23425	GET	Response: // success (HTTP status 200) {     "ID": "UID23425",     "confirmedDate": "2020-12-27T17:51:00.000Z",     "orderNumber": 23425,     "orderReference": "VS2345",     "comment": "Test order",     "storeName": "General Warehouse",     "lines":[

https://docs.msupply.org.nz/
Printed on 2025/11/04 22:32

2025/11/04 22:32 9/13 19.09. mSupply REST API

URL	HTTP Verb	Response
api/v4/customerInvoice	GET	Response: // success (HTTP status 200) [

```
HTTP
URL
                                                                          Response
                                                                   Verb
                                                                          Request:
                                                                               "receivedDate": "2020-12-31T09:23:00.000Z"
                                                                          Response:
                                                                          // success (HTTP status 200)
                                                                               "status": "success",
                                                                               "numberOfRecordsUpdated": 1
                                                                          // failure (HTTP status 404)
                                                                               "status": "error",
"error": "Invoice not found"
                                                                          // failure (HTTP status 409)
                                                                               "status": "error",
                                                                               "error": "More than one invoice found"
                                                                          // failure (HTTP status 503)
                                                                               "status": "error",
                                                                               "error": "Unable to update invoice"
                                                                          // failure (HTTP status 503)
                                                                               "status": "error",
"error": "receivedDate is invalid"
api/v4/customerInvoiceReceived/8567546
                                                                   PATCH
                                                                          // failure (HTTP status 403)
                                                                               "status": "error",
"error": "Invoice is not yet ready for
                                                                          dispatch"
                                                                          // failure (HTTP status 403)
                                                                               "status": "error",
"error": "Invoice has been already been
                                                                          received/cancelled"
                                                                          // failure (HTTP status 400)
                                                                               "status": "error",
                                                                               "error": "Invoice number/received date
                                                                          missing"
                                                                          // failure (HTTP status 401)
                                                                               "status": "error",
"error": "JWT token/user ID/store ID not
                                                                          Updates the received date for the specified customer invoice → it
                                                                          will no longer appear in the GET response above
```

https://docs.msupply.org.nz/
Printed on 2025/11/04 22:32

2025/11/04 22:32 11/13 19.09. mSupply REST API

URL	HTTP Verb	Response
api/v4/customerInvoiceAcknowledged/8567546	PATCH	Request: {     "acknowledgedDate":     "2020-12-31T09:23:00.000Z" } Response: // success (HTTP status 200) {     "status": "success",     "numberOfRecordsUpdated": 1 } // failure (HTTP status 404) {     "status": "error",     "error": "Invoice not found" } // failure (HTTP status 409) {     "status": "error",     "error": "More than one invoice found" } // failure (HTTP status 503) {     "status": "error",     "error": "Unable to update invoice" } // failure (HTTP status 503) {     "status": "error",     "error": "acknowledgedDate is invalid" } // failure (HTTP status 403) {     "status": "error",     "error": "Invoice is not yet ready for dispatch" } // failure (HTTP status 403) {     "status": "error",     "error": "Invoice has been already been acknowledged/cancelled" } // failure (HTTP status 400) {     "status": "error",     "error": "Invoice number/acknowledged date missing" } // failure (HTTP status 401) {     "status": "error",     "error": "JWT token/user ID/store ID not found" } Updates the acknowledged date for the specified customer invoice → it will no longer appear in the GET response above

URL	HTTP Verb	Response
api/v4/customerInvoice/8567546	GET	Response: // success (HTTP status 200) {     "ID": "UID8567546AS",     "invoiceNumber": 8567546,     "confirmedDate": "2020-12-29T12:45:00.0002",     "receivedDate": "2020-12-31T09:23:00.0002",     "cancelledDate": "", // blank unless the invoice has been manually cancelled after it has been confirmed     "invoiceReference": "REF222",     "comment": "From order reference VS2345",     "orderNumber": 23425, // original order number     "storeName": "General Warehouse",     "invoiceTotal": 135.55, // sum of all lines plus any extras e.g. shipping     "lines": [

https://docs.msupply.org.nz/
Printed on 2025/11/04 22:32

2025/11/04 22:32 13/13 19.09. mSupply REST API

IIRI	ATTP Verb Response
api/v4/storeCustomerInvoice?startDate=2023-07-23&endDate=2023-09-23 G	Response: // success (HTTP status 200) {     "ID": "ABCD1234EFGH5678",     "customerName": "Customer01",     "customerCode": "CT32695",     "invoiceNumber": 25387,     "orderNumber": 4578, // Requisition number     "confirmedDate": "2023-07-30T09:32:00.000Z",     "receivedDate": "2023-07-22T19:11:00.000Z", // Invoice entry date     "invoiceReference": "NEW3756",     "comment": "From order reference ORD768",     "storeName": "General Warehouse",     "invoiceTotal": 742.56, // sum of all lines plus any extras e.g. shipping     "lines": [

Previous: 19.08. Stock web app | Next: 19.10. mSupply legacy REST APIs

From:

https://docs.msupply.org.nz/ - mSupply documentation wiki

Permanent link:

https://docs.msupply.org.nz/web\_interface:rest\_api?rev=1757503722

Last update: 2025/09/10 11:28

