16.02. The mSupply web server

About the mSupply web server

When mSupply's web server is running, it allows you to access mSupply data from any networked computer that has a web browser.

Security warning: We have had thousands of uses of our mSupply web server on the public internet since 2005. To date we have not had a security problem reported. However, we recommend you use SSL and a proper SSL certificate if your mSupply web server is publicly accessible. mSupply fully supports SSL. Contact us for certificate installation instructions.

The advantages of accessing mSupply in this way are:

- It's easy. Most people are familiar with using a web browser.
- It's low maintenance. You do not need to install any client software.
- It's cost effective. Once you have purchased a web server licence an unlimited number of people can connect.
- it's secure. The web server supports access using SSL, the standard for securing internet connections, stopping any malicious snooping of passwords or data.
- It allows customer access to information. The web interface built into mSupply can easily be customised to allow clients, supplier or other interested parties to have restricted access to the mSupply information you wish to show them. We are also able to include order submission by customers, making it easy for them to place small orders, and have real time information on stock availability.
- You can access mSupply from anywhere on the internet. Once we supply you with a password protected version of the web interface, you can access mSupply data from any internet connected computer.
- It's fast over low bandwith connections. The mSupply web server allows you to provide access to mSupply from locations with only dial-up access.

mSupply web server functionality is being continually expanded according to client requirements. We welcome suggestions for more features.

Turning on the web server

The mSupply web server feature is not included in the regular mSupply licence; in order to use this function, an additional license is required. On application to Sustainable Solutions this can easily and swiftly be arranged.

For practice purposes, an evaluation version is available on our server - should you wish to access this, please contact us for instructions.

Choose File > Preferences, then click on "Web server" in the list.

Last update: 2019/10/16 16:59	web_interface:using_the_web_server https://docs.msupply.org.nz/web_interface:using_the_web_server?rev=1571245175
-------------------------------	--

Ceneral Web Server Misc Purchase order defauls Purchase order defauls Run the web server on port 8080 Purchase order defauls Run the web server on port 8080 Invoices 1 Use the following port for SSL 9090 Invoices 2 Web URL http://192.168.4.3.8080/ Start Web server Neme Yeo will need to re-start mSupply server for changes to most of these settings to take effect. Enable Support DB integration Numes Use mame Password Image: Server Password URL Test connection Push now Purcent Medication Outgets Push now Push now Purcent Medication Distable the customer web order module and display this message: Image: Server Push now Prisent Medication Distable the customer web order module and display this message: Image: Server Push now Rokup 2 Enable Default store for web interface Ceneral Warehouse Enable Start SQL server Image: Support DB integration Image: Server Seconds Image: Server Default store for web interface Ceneral Warehouse Ima	• • •	Preferences
Purchase order defaults Purchase order 2 Invoices 1 Invoices 2 Invoices 2 Item Price Quotes Reports Names Tender Registration Pristing Otherations Registration Dispensary mode His Backup 2 Backup 2 Backup 2 Backup 2 Customer module Outers concection Names Printing Otherations Registration Pristing Outer module Maximum time a mobile interface request can take Start SOL server FrontineSMS ELMS Busing Customer on port Backup 2 Backup 3 Backup 3 Backup 4 Backup 2 Backup 2 Backup 3 Backup 3 Backup 4 Diefault store for web interface request can take USer request can create 20 uncompleted orders at a time Souter SOL server on the server when mSapply server starts Run SQL server on port 19812	General	Web Server
Parchase order 2 Num the web server on port 8000 Start Web server Invoices 1 Use the following port for SSL 9090 Start Web server Invoices 2 Web URL http://192.168.4.3:8080/ Start Web server Price Invoices Enable Support DB Integration Reports Use mame Invoices Reports URL Test connection Patient Medication URL Test connection Orug Interactions Disable the customer web order module and display this message: Invoices Outs for SAL Default store for web interface Ceneral Warehouse Invoices Stract Start SQL server on port 19812 OHS2 User can create Incomplete dorder sat a time	Misc	Start web server on the server when mSupply server starts
Purchase order 2 Invoices 1 Invoices 2 Item Price Quotes Reports Username Password Tender UBL Tender UBL Tender UBL Patient Medication Drug Interactions Registration Printing Customer module Dispensary mode HS Backup 2 Email Maximum time a mobile interface Customization Maximum time a mobile interface request can take Ostant SQL server FrontlineSMS eLMS Backup Lop Dispect Start SQL server on pot 1982	Purchase order defaults	Bun the web server on port 8080
Invoices 1 Invoices 2 Invoice 2 Inv	Purchase order 2	
Invoices 2 Item Item You will need to re-start mSupply server for changes to most of these settings to take effect. Price Outers Reports Username Password Username Password URL Test connection Push now	Invoices 1	
Item Price Quotes Reports Names Password Password Reminders Patient Medication Orug Interactions Registration Offining OK and print Logo Dispensary mode HS Backup 2 Default store for web interface Customization Maximum time a mobile interface request can take Store Customization Maximum time a mobile interface request can take Stores Customization Moneyworks Store SQL server FrontingSMS eLMS Bush Dispensary mode HS Backup 2 Default store for web interface Ceneral Warehouse C Customization Maximum time a mobile interface request can take Oseconds User can create 20 uncompleted orders at a time Soute SQL server FrontingSMS eLMS Bush SQL server on port 19812 DHS2	Invoices 2	Heb OKL http://152.100.4.5.0000
Quotes Inside Support DB Integration Reports Usermanne Names Password Tender UBL Reminders UBL Retern Medication UBL Drug Interactions Customer module Printing Customer module OK and print Disable the customer web order module and display this message: Logo Disable the customer web order module and display this message: Dispensary mode Default store for web interface HS Backup 2 Backup 2 Default store for web interface request can take Street User can create Q0 uncompleted orders at a time Customization Moneyworks FrontlineSMS eLMS Bush LIAP DHS2	Item	You will need to re-start mSupply server for changes to most of these settings to take effect.
Quotes Reports Names Tender Reminders Patient Medication Drug Interactions Registration Pinting OK and print Logo Disable the customer web order module and display this message: Logo Dispensary mode HiS Backup 2 Email Struer Customization Maximum time a mobile interface request can take Struer Customization Moneyworks Struer FrontlineSMS LDAP DHS2	Price	Easthin Support DB Integration
Names Password Tender URL Reminders Patient Medication Drug Interactions Registration Printing OK and print Logo Dispensary mode Hi5 Backup 2 Email Backup 2 Email Customic for web interface Customization Maximum time a mobile interface reguest can take Oseconds User can create 20 User can create <td>Quotes</td> <td></td>	Quotes	
Tender Reminders Patient Medication Orug Interactions Registration Printing Customer module OK and print Logo Dispensary mode HiS Backup 2 Email Server Customization Maximum time a mobile interface request can take Oseconds User can create 20 uncompleted orders at a time Customization Moneyworks Soute FrontlineSMS LIDAP DHS2	Reports	Usemame
Reminders Patient Medication Patient Medication Drug Interactions Registration Printing Customer module OK and print Disable the customer web order module and display this message: Logo Dispensary mode HS Backup 2 Backup 2 Default store for web interface Customization Maximum time a mobile interface request can take Streer User can create Customization Sup 2.5 Start SQL server FrontlineSMS Start SQL server on port IDAP DHS2	Names	Password
Patient Medication Drug Interactions Registration Printing OK and print Logo Dispensary mode HIS Backup 2 Email Street Customization Maximum time a mobile interface request can take Object Street Customization Moneyworks FrontlineSMS eLMS Start SQL server on the server when mSupply server starts Run SQL server on port DHS2	Tender	URL Test connection Push now
Drug Interactions Registration Printing OK and print Logo Dispensary mode HS Backup 2 Email Server Customization Server Customization Sign Server Customication Sign Server Customication Sign Server Customication Customication Sign Server Customication Customication Customication <td>Reminders</td> <td></td>	Reminders	
Registration Printing OK and print Dispensary mode Logo Image: Construction of the server when mSupply server starts Backup 2 Default store for web interface request can take Band Maximum time a mobile interface request can take Server User can create 20 uncompleted orders at a time Customization SqL Server FrontlineSMS Start SQL server on the server when mSupply server starts LDAP Run SQL server on port 19812	Patient Medication	
Printing Customer module OK and print Disable the customer web order module and display this message: Logo Dispensary mode HIS Backup 2 Default store for web interface Ceneral Warehouse Email Maximum time a mobile interface request can take 0 seconds Server User can create 20 uncompleted orders at a time Customization SQL Server FrontlineSMS Start SQL server on the server when mSupply server starts LDAP Run SQL server on port 19812	Drug Interactions	
Printing OK and print Logo Dispensary mode HS Backup 2 Default store for web interface Ceneral Warehouse Email Maximum time a mobile interface request can take Oustomization Moneyworks SQL Server FrontlineSMS eLMS DIAS	Registration	
Logo Dispensary mode HS Backup 2 Backup 2 Default store for web interface General Warehouse Image: Constraint of the server of the server starts Street User can create Customization SQL Server Koneyworks SQL Server FrontlineSMS Image: Start SQL server on port DHS2 Default store on port	Printing	
Dispensary mode HIS Backup 2 Backup 2 Back	OK and print	Disable the customer web order module and display this message:
HIS Backup 2 Backup 2 Email Default store for web interface request can take O seconds Server User can create 20 uncompleted orders at a time Customization SQL Server FrontlineSMS eLMIS Earver on the server when mSupply server starts Run SQL server on port 19812 DHS2 Ocean Control Cont	Logo	
Backup Default store for web interface General Warehouse Backup 2 Default store for web interface General Warehouse Email Maximum time a mobile interface request can take 0 seconds Server User can create 20 uncompleted orders at a time Customization SQL Server FrontlineSMS Start SQL server on the server when mSupply server starts LDAP Run SQL server on port DHS2 Operation	Dispensary mode	
Backup 2 Email Backup 2 Email Backup 2 Email Default store for web interface cequest can take Maximum time a mobile interface request can take User can create 20 uncompleted orders at a time User can create 20 uncompleted orders at a time SQL Server FrontlineSMS SQL Server Run SQL server on the server when mSupply server starts Run SQL server on port 19812 DHS2		
Server O seconds Server O seconds Customization User can create 20 uncompleted orders at a time Moneyworks SQL Server FrontlineSMS Start SQL server on the server when mSupply server starts eLMIS Run SQL server on port 19812 DHS2 Customication	Backup	
Server 0 seconds Customization User can create 20 uncompleted orders at a time Moneyworks SQL Server FrontlineSMS Start SQL server on the server when mSupply server starts ELMIS Run SQL server on port 19812 DHIS2 Opend		Default store for web interface General Warehouse
Customization User can create 20 uncompleted orders at a time Moneyworks SQL Server FrontlineSMS Start SQL server on the server when mSupply server starts eLMIS Run SQL server on port 19812 DHIS2	Email	Maximum time a mobile interface request can take 0 seconds
Customization Moneyworks SQL Server FrontlineSMS SQL Server on the server when mSupply server starts eLMIS Run SQL server on port 19812 DHS2		User can create 20 uncompleted orders at a time
FrontlineSMS Start SQL server on the server when mSupply server starts eLMIS Run SQL server on port LDAP Run SQL server on port DHIS2 Openation		
eLMIS Start SQL server on the server when mSupply server starts LDAP Run SQL server on port 19812 DHIS2 OFFICE		SQL Server
eLMS Run SQL server on port 19812 LDAP DHS2		Start SQL server on the server when mSupply server starts
LDAP DHS2		
DHS2 LMIS Cancel OK		
	DHIS2 LMIS	Cancel

You can choose to start the web server or have it start automatically when mSupply starts (see General preferences for more details on these preferences).

Technical note: By default mSupply is set to use port 8080. This is because the default port number for http access (80) on unix systems running mSupply can only be used by applications that have root privileges, and we don't want you to have to run mSupply as root! If this is a problem, we can supply you with an application that redirects traffic on port 80 to port 8080.

Setting up mSupply desktop users for mSupply Mobile (browser)

Your mSupply server needs to be set up for mSupply Mobile (browser) use. Follow these simple steps to get started:

- 1. Create a virtual store to hold the remote facility's stock.
- 2. Create new users for the store or give some existing users permission to login to it. Note: Make sure that only the users who will use the mobile interface have permission to login to this store.
 - Note that the important setting for mobile access is the "Default store." You'll need to turn on "store mode" for the store too, else you can't turn on "Default store." For example, here's user Debbie set up so that when she logs into mSupply mobile she'll be logged into Tulagi Mini Hospital:

			Edit use	r			
User Debbie			Eure use				
User Debble							
Gene	eral Permissio	Permissions Permissions (2) Permissions (3) Log-on modes					
Name	Is disabled	Default store	Store mode	Dispensary m	HIS mode	Default mode	
Supervisor- All stores							
General						Store	-
Vaccine Store						Store	•
Hospital Info System							
Viso RHC							
Tulagi mini hospital							*
							_

2. Note that other user permissions (on the Permissions, Permissions(2) and Permissions(3) tabs) only apply to mSupply Desktop Users, not to mSupply Mobile Users.

Delete

Cancel

OK

- 3. For the steps below, refer to Virtual stores for detailed instructions
 - 1. Make **only** the items which the remote facility will use visible in the new store.
 - 2. Make **only** the names which the remote facility will use visible in the new store.
 - 3. Ensure the store can receive transfers from the store that will be supplying it (This is done by ensuring that the receiving store's name record is visible to the sending store)
 - 4. Ensure "Pack to one" is turned on for visible items in each store.

Now you're ready - have fun!

Previous: 16.01. Introduction to web interfaces || Next: 16.03 mSupply Customer Web Interface - setting up customers

From: https://docs.msupply.org.nz/ - mSupply documentation wiki

Permanent link: https://docs.msupply.org.nz/web_interface:using_the_web_server?rev=157124517



Last update: 2019/10/16 16:59

3/3